



Photography Equipment Product Manual

2024




SUPPORT YOUR IMAGINATION

| About Selens

Selens was founded in 2011 and has been in the industry of photography lighting equipment and related accessories for more than ten years. Selens is committed to provide excellent solutions to behind-the-scenes workers in the field of photography and film making. We attach great importance to user experience and listen carefully to needs and desires, which inspires us to create better products that help users to complete their jobs more easily and efficiently.

Selens' products focus on user-friendly, simple and convenient concepts, allowing users to focus on creation and allowing imagination to be freely released without the constraints of technical problems.

Selens products are engineered to provide incredible strength and durability in the toughest environments and are recognized by industry professionals.



Icon Description



Maximum Height



Minimum Height



Closed Length



Spindle Diameter



Product Weight



Maximum Load



Product Size

Contents

Light System

- 04 APOLLO COB Lights
- 14 APOLLO Panel Lights
- 16 LED Spotlights
- 18 FLEXI PANEL Flexible Fabric Lights
- 20 PROTUBE Tube Lights
- 22 ALADDIN Pocket Lights
- 26 Lighting Accessories

Light Shapers

- 27 Edge Parabolic Reflectors
- 32 Softboxes
- 40 Collapsible Reflectors
- 44 Compact Fold-Away Butterfly Frames
- 46 Flags / Reflectors
- 48 Umbrellas
- 49 Cardboard Reflectors

Stands / Accessories

- 52 Air Cushion Stands
- 54 Lightweight Stands
- 55 Click Stands
- 56 Roller Column Stands
- 58 C-Stands
- 62 Heavy Duty Stands
- 69 Stainless Steel Stands
- 70 Backlight Stands
- 72 Wall Boom / Strap Light Stand
- 74 C-Stand Accessories
- 77 Super Clamps / Super Viser Clamps
- 79 Sand Bag / Foamcore Fork / Sky and Earth Pole

Studio / Personal Accessories

- 82 EASYSTATION CART WORKSTATIONS / Accessories
- 86 RigTree System
- 90 Camera & Phone Cages / Camera L-Plates
- 97 Camera Accessories
- 110 Tripod Heads / Tripods
- 116 Batteries
- 120 Studio Storage Cart
- 121 Smoke Maker / Studio Fan / Studio Hook
- 122 Folding Cart
- 124 Director Chair / Apple Boxes
- 128 Color Filter / Diffuser Papers / Black Foil
- 132 Camera Protection Stickers / Gaffer Tapes
- 134 Storage Bags & Cases / Stand Bags
- 139 Moisture Proof Box / Safety Equipment Cases
- 110 Clapperboard / High Pressure Watering Can
- 110 Saddle Bag / Elastic Cable Ties / Protective Glove
- 143 TACO Teleprompter
- 144 Clearing Article / Multifunctional Screwdriver / Key Tether

Backgrounds

- 146 Cucoloris
- 148 Background Supports
- 149 Manual Backdrop Support System
- 150 Chroma Key Backgrounds
- 156 Collapsible Pattern Backgrounds
- 158 Backgrounds
- 164 Mirror Background

Excellent Brightness, Restore Realistic Colors

APOLLO COB Light Series




APOLLO COB Lights



APOLLO 100W Point-Source LED

- Output Power: 100W
- APOLLO 100 illuminance 71,500Lux@1m (5600K with hyper reflector)
- APOLLO 100X illuminance 69,400Lux@1m (5600K with hyper reflector)
- CRI and TLCI ≥ 96, High Color Accuracy
- 8 Lighting FX with 9 levels of adjustable speed
- 4 Dimmer curves (Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise ≤ 28dB
- 3 light control methods (On-Board, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- 3 power supply methods (AC/DC power supply, V-Mount battery (sold separately), F series battery buckle plate (sold separately))
- 360° rotate metal yoke



LED Component

96+ CRI
High Color Accuracy

2700K-6500K (SLC4-100X)

Active Cooling

APP / 2.4G remote On-Board

Selens link

Download on the App Store

Download for Android



Product List


		APOLLO 100W	x1
		Bowens protective cover	x1
		Bowens hyper reflector	x1
		Carry case	x1
		Power adapter (Include Hanger & Wire rope)	x1
		Power cable (4m)	x1

APOLLO COB Lights



APOLLO 200W Point-Source LED

- Output Power: 200W
- APOLLO 200 illuminance 97,000Lux@1m (5600K with hyper reflector)
- APOLLO 200X illuminance 51,400Lux@1m (5600K with hyper reflector)
- CRI and TLCI ≥ 96, High Color Accuracy
- 8 Lighting FX with 9 levels of adjustable speed
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise ≤ 28dB
- 3 light control methods (On-Board, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- AC/DC power supply
- 360° rotate metal yoke, support universal head, baby pin



LED Component

96+ CRI
High Color Accuracy

2700K-6500K (SLC4-200X)

Active Cooling

APP / 2.4G remote On-Board

Selens link

Download on the App Store

Download for Android



Product List

		APOLLO 200W	x1
		Bowens protective cover	x1
		Bowens hyper reflector	x1
		Carry case	x1
		Power adapter (Include Hanger & Wire rope)	x1
		Power cable (4m)	x1

APOLLO COB Lights



APOLLO
APOLLO 300W Point-Source LED

- Output Power: 300W
- APOLLO 300 illuminance 101,000Lux@1m (5600K with hyper reflector)
- APOLLO 300X illuminance 71,500Lux@1m (5600K with hyper reflector)
- CRI and TLCI ≥ 96, High Color Accuracy
- 8 Lighting FX with 9 levels of adjustable speed
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise ≤ 28dB
- 3 light control methods (On-Board, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- AC/DC power supply
- 360° rotate metal yoke, support universal head, baby pin

LED Component

96+ CRI
High Color Accuracy

2700K-6500K (SLC4-300X)


Active Cooling

APP / 2.4G remote On-Board

Selens link

Download on the App Store

Download for Android



Product List

	APOLLO 300W	x1
	Bowens protective cover	x1
	Bowens hyper reflector	x1
	Carry case	x1
	Power adapter (Include Hanger & Wire rope)	x1
	Power cable (4m)	x1

APOLLO COB Lights



APOLLO
APOLLO 600W Pro Point-Source LED

- Output Power: 600W
- APOLLO 600 Pro illuminance 189,000Lux@1m (5600K with hyper reflector)
- APOLLO 600X Pro illuminance 142,000Lux@1m (5600K with hyper reflector)
- CRI≥ 96 TLCI ≥ 96 Rf≥ 93 Rg≥ 100, High Color Accuracy
- Lighting and control are separated
- AC Power Cable(5m), Head Cable(5m)
- 8 Lighting FX with 9 levels of adjustable speed
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling
- 4 light control methods (DMX, Control box, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- 2 power supply methods (AC/DC, V-Mount Battery (sold separately))
- 360° rotate metal yoke, support universal head, support universal head, baby pin

LED Component

96+ CRI
High Color Accuracy

2700K-6500K (SLC4-600XPro)

Active Cooling


DMX

APP / 2.4G remote On-Board

Selens link

Download on the App Store

Download for Android



Product List

	APOLLO 600W	x1	Head cable(5m)	x1
	Control box	x1	Wire rope	x1
	Lighting clamp	x1	Rolling carrying case	x1
	Bowens protective cover	x1		
	Bowens hyper reflector	x1		
	AC power cable (5m)	x1		

APOLLO COB Lights



APOLLO 1200X Pro 1200W
Bi-Color Point-Source LED
(2700K-6500K) Stepless Dimmer
SLC4-1200XPro

APOLLO
APOLLO 1200W Pro Point-Source LED

- Output Power: 1200W
- Color temperature: 2700K-6500K
- CRI≥ 96 TLCI ≥ 96 Rf≥ 93 Rg≥ 100, High Color Accuracy
- Lighting and control are separated
- AC Power Cable(5m), Head Cable(5m)
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise ≤ 28dB
- 4 light control methods (DMX, Control box, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- AC/DC power supply
- 360° rotate metal yoke support universal head, baby pin

LED Component

96+ CRI
High Color Accuracy

2700K-6500K

Active Cooling

DMX


Light Control Separation

APP / 2.4G remote

Selens link

Download on the App Store

Download for Android



Product List

	APOLLO 1200W	x1	Head cable (5m)	x1
	Control box	x1	Wire rope	x1
	Lighting clamp	x1	Rolling carrying case	x1
	Bowens protective cover	x1		
	Bowens hyper reflector	x1		
	AC power cable (5m)	x1		

APOLLO COB Lights



APOLLO 1200S Pro 1200W
RGBACL Point-Source LED
(2000K-20000K) Stepless Dimmer
SLC4-1200SPro

APOLLO
APOLLO 1200W Pro Point-Source LED

- Output Power: 1200W
- Color temperature: 2000K-20000K
- APOLLO 1200S PRO use Selens RGBACL six-color light engine provides more accurate colors
- CRI≥ 96, TLCI ≥ 96, Rf≥ 94, Rg≥103, High Color Accuracy
- Lighting and control are separated
- AC Power Cable(5m), Head Cable(5m)
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise ≤ 28dB
- 4 light control methods (DMX, Control box, 2.4G remote, Selens Link App) support group control lighting
- Bowens mount design
- AC/DC power supply
- 360° rotate metal yoke, support universal head, baby pin

LED Component

96+ CRI
High Color Accuracy

2000K-20000K

Active Cooling

DMX


Light Control Separation

APP / 2.4G remote

Selens link


Download on the App Store

Download for Android



Product List

	APOLLO 1200W	x1	Head cable (5m)	x1
	Control box	x1	Wire rope	x1
	Lighting clamp	x1	Rolling carrying case	x1
	Bowens protective cover	x1		
	Bowens hyper reflector	x1		
	AC power cable (5m)	x1		



APOLLO COB Light Technical Parameters

Parameters	APOLLO 100	APOLLO 100X	APOLLO 200	APOLLO 200X	APOLLO 300	APOLLO 300X	APOLLO 600 PRO	APOLLO 600X PRO
Color temperature	5600K	2700K-6500K	5600K	2700K-6500K	5600K	2700K-6500K	5600K	2700K-6500K
100% illuminance (1M, No Accessories)	3980Lux	3320Lux	7250Lux	5000Lux	11660Lux	7060Lux	21600Lux	14200Lux
100% illuminance (1M, Hyper Reflector)	71500Lux	69400Lux	97000Lux	51400Lux	101000Lux	71500Lux	189000Lux	20800Lux
Power supply methods	AC/DC Power supply, V-Mount battery (sold separately), F series battery buckle plate (sold separately)		AC/DC Power supply				AC/DC Power supply, V-Mount battery (sold separately)	
Color accuracy	CRI ≥ 96, TLCI ≥ 96						CRI ≥ 96, TLCI ≥ 96, Rf ≥ 94, Rg ≥ 100	
Control methods	On-Board, 2.4G remote, Selens Link App						DMX, Contool Box, 2.4G remote, Selens Link App	
Lighting FX	8 (Explosion, TV, Pulsing, Faulty Bulb, Strobe, Lightning, Flashlight, Flame)							
Dimming	1%-100% (Liner, Exp, Logarithmic, S-Curve)							
Channel	54							
Group	6 (A~F)							
Operating temperature	-10°C~40°C							
Wireless operating range (2.4g remote)	≤50m							
Mute mode	√							
Cooling method	Active cooling							
Screen type	LCD							

Optional Accessories




APOLLO RGBACL Panel Lights



APOLLO
APOLLO 400W P400S RGBACL Panel Light
SLC4-P400S

- Output Power: 400W
- Color temperature: 2000K-20000K
- APOLLO P400S use Selens RGBACL six-color light engine provides more accurate colors
- CRI $\geq$ 96, TLCI $\geq$ 96, Rf $\geq$ 94, Rg $\geq$ 103 High Color Accuracy
- 4 independently adjustable pixels, use built-in lighting effects or via DMX control
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise $\leq$ 28dB
- 5 light control methods (On-Board, Art-Net, DMX, 2.4G remote, Selens Link App) support group control lighting
- AC/DC power supply
- 360° rotate metal yoke, support universal head, baby pin



LED Component

96+ CRI
High Color Accuracy

2000K-20000K

Active Cooling

DMX

Art-Net sACN

Light Control Separation

APP / 2.4G remote

Selens link

Download on the App Store

Download for Android

Product List


	APOLLO 400W Panel Light	x1
	AC power cable (5m)	x1
	Wire rope	x1
	Rolling carrying case	x1

APOLLO RGBACL Panel Lights



APOLLO
APOLLO 800W P800S RGBACL Panel Light
SLC4-P800S

- Output Power: 800W
- Color temperature: 2000K-20000K
- APOLLO P800S use Selens RGBACL six-color light engine provides more accurate colors
- CRI $\geq$ 96, TLCI $\geq$ 96, Rf $\geq$ 94, Rg $\geq$ 103 High Color Accuracy
- 8 independently adjustable pixels, use built-in lighting effects or via DMX control
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- The front of the COB component is protected by glass
- Active cooling, working noise $\leq$ 28dB
- 5 light control methods (On-Board, Art-Net, DMX, 2.4G remote, Selens Link App) support group control lighting
- AC/DC power supply
- 360° rotate metal yoke, support universal head, baby pin



LED Component

96+ CRI
High Color Accuracy

2000K-20000K

Active Cooling

DMX

Art-Net sACN

Light Control Separation

APP / 2.4G remote

Selens link

Download on the App Store

Download for Android

Product List

	APOLLO 800W Panel Light	x1
	AC power cable (5m)	x1
	Wire rope	x1
	Rolling carrying case	x1

Cinematic Spotlight Effect

LED Spotlight Series



Spotlight 100W / 200W / 300W

Spotlight uses electric focus, adjustable from 15°-60°. CRI≥ 97, TLCI ≥ 97, high color accuracy.
360° rotate metal yoke, support universal head, baby pin



LED Spotlights



Spotlight 100W
SLC4-SP100




Spotlight 200W
SLC4-SP200



Spotlight 300W
SLC4-SP300

Flexible zoom



Product List (100W / 200W)



Product List (300W)



Parameters	Spotlight 100W	Spotlight 200W	Spotlight 300W
Power supply method	AC power	AC power	AC power
Power	100W	200W	300W
Color temperature	5600K	5600K	5600K
100% illumination (Lux@1m)	≈23000 Lux	≈35000 Lux	≈131000 Lux
CRI	≥97	≥97	≥97
TLCI	≥97	≥97	≥97
Dimming range	0%-100%	0%-100%	0%-100%
Focusing method	Manual focus	Manual focus	Manual focus
Working temperature	-10°C~40°C	-10°C~40°C	-10°C~40°C
Heat dissipation method	Active cooling	Active cooling	Active cooling
Bare metal size	28x36x60cm	37x36x60cm	43x38x45cm
Bare metal net weight	8.5kg	9.5kg	9kg




FLEXI PANEL Flexible Fabric Lights




FLEXI PANEL 100W RGBWW LED Flexible Fabric Light SLC4-FP100Spro


- Output Power: 100W
- Color temperature: 2500K-8000K
- Made of flexible light panels and fabric
- LS-100R use Selens RGBWW full-color light engine, have 36,000 colors available
- CRI≥95, TLCI≥98, Rf≥94, Rg≥103 High Color Accuracy
- 13 Lighting FX with 9 levels of adjustable effect speed
- 4 Dimmer curves(Liner, Exp, Logarithmic, S-Curve)
- 4 light control methods (DMX, control box, 2.4G remote, APP), support group control lighting
- 4 power supply methods(AC/DC power supply, V-Mount battery (sold separately), F series battery buckle plate (sold separately))
- A variety of soft light accessories, fixed with velcro
- 4 corners Magnetic design, adsorb to metal
- Multiple holes



Parameters	100W RGBWW LED Flexible Fabric Light (LS-100R)
Lighting FX	13 (Explosion, TV, Pulsing, Faulty Bulb, Strobe, Lightning, Flashlight, Flame, Fireworks, RGB, Bar, Warning, Party)
Power supply methods	AC/DC Power supply, V-Mount battery (sold separately), F series battery buckle plate (sold separately)
Output power	100W
Color temperature	2500-8000K
100% illumination	2150Lux (@0.3m)
Light effect mode	13
CRI	≥95
TLCI	≥98
Dimming range	0%-100%
Number of LED	144
Working temperature	-10°C~40°C
Expand size	about 31x58cm
Light weight	about 0.92kg



Optional Accessories




PROTUBE Tube Lights



PROTUBE
PROTUBE Tube Light

- Color temperature: 2500K-8000K
- Use Selens RGBWW full-color light engine, provide powerful color expression
- CRI≥96, TLCI≥96, High Color Accuracy
- 20 simulated light effects to simulate various light effect scenes
- Built-in lithium battery, Type-c charging
- Supports fast charging and charging while using
- 3 control methods: On-Board, DMX, Master-slave mode
- OLED display accurately presents Parameters



Parameters	PROTUBE 10	PROTUBE 18	PROTUBE 38
Battery powered	Lithium battery (2700mAh)	Lithium battery (9000mAh)	Lithium battery (18000mAh)
Power supply	Type-C 18W	Type-C 18W	Type-C 18W
Battery life	90min (100%brightness)	90min (100%brightness)	90min (100%brightness)
Output power	10W	18W	38W
Color temperature	2500K-8000K (±200K)	2500K-8000K (±200K)	2500K-8000K (±200K)
Light effect mode	20 kinds	20 kinds	20 kinds
CRI	≥96	≥96	≥96
TLCI	≥96	≥96	≥96
Dimming range	0%-100%	0%-100%	0%-100%
Working temperature	-10°C~40°C	-10°C~40°C	-10°C~40°C
Bare metal size	φ9x39cm	φ9x64.5cm	φ9x90cm
Bare metal net weight	0.66kg	0.9kg	1.2kg



LED Tube light DMX cable



Lightweight and compact Pocket travel

ALADDIN Pocket Light Series



ALADDIN Pocket Lights



AL Pocket Light

AL

- Weight 165g, easy to carry
- CRI≥ 95 High color accuracy
- 360° and crankshaft can be adjusted
- 270° for flexible rotation
- Built-in 2000 mAh lithium battery
- Use with magnetic diffuser, and color filters to create more different atmosphere



Parameters	AL Pocket Light	AL-Pro Bi-color Pocket Light
Battery powered	Lithium battery (2000mAh)	Lithium battery(1600mAh)
Working power supply	3.7V	7.4V
Battery life	60min	60min
Output power	15W	12W
Color temperature	5500K	2500-9000K
100% illumination	3100Lux (@0.3m)	2800Lux (@0.3m)
	1090Lux (@0.5m)	1500Lux (@0.5m)
	395Lux (@1m)	320Lux (@1m)
CRI	≥95	≥95
TLCI	≥95	≥95
Dimming range	0%-100%	0%-100%
Number of LED	15	24 (Bi-color LED component)
Working temperature	-10°C~40°C	-10°C~40°C
Bare metal size	10.7x6.1x1.6cm	10.5x6.1x2.1cm
Bare metal net weight	0.165kg	0.178kg

ALADDIN Pocket Lights




AL-Pro RGB Pocket Light

AL-ProRGB

In HSI mode, RGB colors can be adjusted 360° at will, without a color filter. Turn the dial to change the colors, and use the saturation control to create various atmospheres and scenes.

- 0~100% stepless dimming, can smoothly adjust the light brightness.
- CRI≥ 96 High color accuracy.
- HSI adjustment range of 0-360°, adjustment of saturation, easy creation of various atmospheres and scenes.
- 20 lighting scene special effects modes.
- The multi-hole design of the 1/4" and 3/8" interfaces of the magnetic arm makes it easy to connect various pan-tilts and light stands.




Parameters	AL-Pro RGB Pocket Light	AL-Max RGB Pocket Light
Battery powered	Lithium battery (1000mAh)	Lithium battery(3500mAh)
Working power supply	5V	5V
Battery life	90min	140min
Output power	7.5W	36W
Color temperature	2500-8000K	2500-7000K
100% illumination	2150Lux (@0.3m)	11200Lux (@0.3m)
Light effect mode	20	20
CRI	≥96	≥96
TLCI	≥96	≥96
Dimming range	0%-100%	0%-100%
Number of LED	25 (Bi-color + RGB LED component)	144 (Bi-color + RGB LED component)
Working temperature	-10°C~40°C	-10°C~40°C
Bare metal size	10.5x6x2.2cm	19.5x11x1.7cm
Bare metal net weight	0.188kg	0.49kg



Fresnel Bowens Mount
F20-B

0.95kg 20x20x17cm

The outer shell is made of ABS material, and the internal glass uses a Fresnel lens. It has an adjustable zoom angle of 20°-40° and is compatible with lights equipped with Bowens mount on the market



Barn Door, Color Insert and Honeycomb Grid for Fresnel
F20-BD4

0.98kg 21.5x5x21.5cm

The barn door consists of 4 pieces and is made of metal. Each piece of barn door can be adjusted individually



Spot attachment
SA-21 Spot Attachment 21° Bowens Mount
SA-40 Spot Attachment 40° Bowens Mount

2.9kg 41.5x23x20.5cm



Spot Attachment
S-100

0.895kg 14.6x14.6x16.5cm



60mm Lens for S-100
CL-60

0.265kg 7x7x7cm



Iris Diaphragm for S-100
S-100-ID

0.09kg 13.5x10x0.4cm



2.4G Remote
R12

0.078kg 18x4.8x2.3cm

OLED screen, built-in 2.4G module, wireless control distance reaches 50 meters



F-series Battery Plate
BP-NP-F

0.18kg 17x12x3cm

Suitable for Sony NP-F series batteries



DTAP to DC Cable (COB100W)
D-Tap-DC-50CM

0.07kg 16x9x4cm

Thick wire, metal aviation connector, stretchable length 50cm

Creative Light Creator


EDGE Boundary Parabolic Reflector



EDGE Parabolic Reflectors

EDGE Parabolic Reflector parabolic reflective structure, adjust the zoom lever back and forth can change the distance between the light source and the reflective fabric, thereby changing the light effect and making the light soft and hard controllable.

The quick-open design is easy to use. In order to be compatible with a variety of lamps, we have developed Bowens, Broncolor, Profoto, and Godox mount, which supports multiple mount replacements, improves compatibility, support your imagination!



EDGE Parabolic Reflector
(90cm)

SER90

EDGE Parabolic Reflector
(120cm)

SER120

EDGE Parabolic Reflector
(150cm)

SER150

Item	Umbrella Diameter	Depth	Weight	Focusing Tube Length
SER90	90cm	57cm	6kg	100cm
SER120	120cm	78cm	6.5kg	100cm
SER150	150cm	90cm	7.1kg	120cm

EDGE Parabolic Reflectors

Installation steps



Product List



EDGE Parabolic Reflector Accessories



EDGE Adapter for Profoto Lamps

SER-AD-P

0.53kg 14.3x14.3x19cm



EDGE Adapter for Godox Lamps

SER-AD-G

0.38kg 14.3x14.3x13.5cm



EDGE Adapter for Broncolor Lamps

SER-AD-BC

0.38kg 14.5x14.5x15.8cm



EDGE Adapter for Bowens Lamps

SER-AD-B

0.38kg 14.4x14.4x16.7cm



EDGE Reflex Disc

SER-RD216

0.41kg 21.7x21.7cm



Parabolic Reflector Focusing Bracket

SER-FD

2.03kg 23x23x26cm



Parabolic Reflector Focusing Tube

SER-FL120

0.97kg Length: 120cm 40mm

EDGE Parabolic Reflector Accessories



EDGE Diffuser

SER-D90 Φ 90cm
SER-D120 Φ 120cm
SER-D150 Φ 150cm



EDGE Soft White Diffuser

SER-S90 Φ 90cm
SER-S120 Φ 120cm
SER-S150 Φ 150cm



EDGE Grid

SER-G90 Φ 90cm
SER-G120 Φ 120cm
SER-G150 Φ 150cm






Softboxes

Softboxes have more sizes, accessory mounts, shapes, and quick-install models to choose.

Almost all soft boxes are equipped with double layers of soft light cloth, and some soft boxes are also equipped with three layers of soft light cloth to minimize light scattering. You can choose to use soft light cloth according to your needs to achieve different light effects.



Silver reflective surface

The silver reflective surface has a high reflectivity and can be used as a large deep reflector. It has a large light ratio contrast and a strong three-dimensional effect.



Inner layer of soft light cloth

The inner soft light cloth is located in the middle to eliminate or weaken the highlight points and make the light softer, but the edge contrast is larger.



Double layer soft light cloth

The double-layer soft light cloth further softens the light, and the contrast between the middle and edge of the soft box is reduced to less than half a stop.




Three layers of soft light cloth

The double-layer soft light cloth further softens the light, and the contrast between the middle and edge of the soft box is reduced to less than half a stop.

Softboxes

Softboxes are divided into standard softboxes and quick-folding softboxes. When using the quick-folding softbox, you can easily install and disassemble it by pulling and pressing, which is more convenient and time-saving.

Rectangle softboxes have a larger illumination area and are often used for portrait photography, still life photography, video live broadcasts and photography.



Speedy

Quick-Folding Rectangular Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-S60*90	60x90cm	50cm	1.85kg	Three layers
SLS4-S80*120	80x120cm	55cm	2.2kg	Three layers
SLS4-S120*180	120x180cm	77cm	1.85kg	Three layers



Rectangular Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-60*90	60x90cm	50cm	1.85kg	Double layers
SLS4-80*120	80x120cm	55cm	2.3kg	Double layers


Rectangle softboxes have a larger illumination area and are often used for portrait photography, still life photography, video live broadcasts and photography.



Speedy

Quick-Folding Strip Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-S35*60	35x60cm	38cm	1.4kg	Double layers
SLS4-S30*90	30x90cm	44cm	1.6kg	Double layers
SLS4-S30*140	30x140cm	58cm	2.17kg	Three layers
SLS4-S40*200	40x200cm	89cm	2.8kg	Three layers




Strip Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-35*60	35x60cm	38cm	1.5kg	Double layers
SLS4-30*90	30x90cm	44cm	1.5kg	Double layers
SLS4-30*140	30x140cm	58cm	2.3kg	Double layers
SLS4-40*200	40x200cm	89cm	3.0kg	Double layers

Softboxes

Octagonal softboxes can create greater light effects than square softboxes, have a wider range of ambient light, and provide a wider range of lighting. They can illuminate the subject as well as the background.



Speedy

Quick-Folding Octagon Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-S060	Φ62cm	40cm	0.9kg	Double layers
SLS4-S080	Φ82cm	38cm	1.0kg	Double layers
SLS4-S0100	Φ105cm	36cm	1.2kg	Double layers

The deep parabolic design delivers light from a longer distance, making the light intensity decrease evenly from the center to the edge, making the layers richer and the light even and soft.



Circular Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-C70	Φ70cm	65cm	1.55kg	Double layers
SLS4-C90	Φ90cm	65cm	1.75kg	Double layers
SLS4-C120	Φ120cm	71cm	2.5kg	Double layers
SLS4-C150	Φ150cm	104cm	3.6kg	Double layers
SLS4-C190	Φ190cm	120cm	4.9kg	Double layers

Through the inner parabolic design of the circular softbox, the number of light reflections in the box is increased, which can produce clear shadows and uniform diffused light, making the shooting effect more three-dimensional. The circular softbox is easy to install and is suitable for outdoor shooting.




Speedy

Quick-Folding Circular Softbox

Item	Size	Depth	Weight	Cloth quantity
SLS4-SC70	Φ70cm	69cm	2.42kg	Double layers
SLS4-SC90	Φ90cm	89cm	2.55kg	Double layers
SLS4-SC120	Φ120cm	96cm	3.2kg	Double layers

The beauty box is specially used for outdoor shooting. It can create delicate and soft light, which is closer to a circle, soft eye light, and the light and shadow effect is more natural and beautiful.



Beauty Box

Item	Size	Depth	Weight	Cloth quantity
SLS4-B65	Φ65cm	38cm	1.18kg	Double layers
SLS4-B85	Φ85cm	43cm	2.02kg	Double layers
SLS4-B120	Φ105cm	48cm	3.02kg	Double layers

Softbox Grids

Honeycomb mesh is Black's Material, which is composed of small squares. It can effectively control the light source to shine from the squares, control the direction of the light, and make the light more concentrated and reduce the impact on the background. If you want to further control the light, you can use it with a honeycomb network.




Strip Softbox Grid

Item	Size	Weight
SLS4-G35*60	35x60cm	0.09kg
SLS4-G30*90	30x90cm	0.11kg
SLS4-G30*140	30x140cm	0.15kg
SLS4-G40*200	40x200cm	0.11kg



Rectangular Softbox Grid

Item	Size	Weight
SLS4-G60*90	60x90cm	0.15kg
SLS4-G80*120	80x120cm	0.27kg
SLS4-G120*180	120x180cm	0.52kg



Circular Softbox Grid

Item	Size	Weight
SLS4-CG70	Φ70cm	0.13kg
SLS4-CG90	Φ90cm	0.32kg
SLS4-CG120	Φ120cm	0.57kg
SLS4-CG150	Φ150cm	0.90kg
SLS4-CG190	Φ190cm	1.30kg

Softboxes

Lantern Softbox

360° wide range of soft light, the soft light effect is comprehensive, the light starts from the center of the irradiation, and gradually weakens to the edges, with an obvious sense of layering. It is a commonly used soft light device for portrait shooting and video live broadcast, and can be used with high-power photography lights to create Space atmosphere with uniform and bright light.



Item	Size	Weight
SER-50	Φ50cm	1.35kg
SER-65	Φ65cm	1.45kg
SER-80	Φ80cm	1.65kg



Optional Accessories



Lantern Softbox Skirt
SER-50S Φ50cm
SER-65S Φ65cm
SER-80S Φ80cm

Space Light

In order to achieve better light control performance, it is equipped with removable bottom and side reflective curtains. At the same time, when used with a fixed clip, the length of the cylindrical diffuser can be changed, thereby changing the range, size and direction of the soft light, achieving flexible light control at different heights and angles. The soft light column can be freely retracted and is compact and easy to carry after folding.



Item	Size	Weight
SLS4-SL47	Φ47x70cm	0.285kg



Softboxes

Circular Black Softbox

Circular black softbox has a black reflective surface inside. The black reflective surface can reduce hot spots and highlights and increasing outlines.



Item	Size	Weight
SLS4-CB70	Φ70cm	1.55kg
SLS4-CB100	Φ100cm	1.7kg

Octagon Bounce Softbox

The light is reflected by the top reflective surface and then scattered from the side diffuser soft cloth, emitt soft light evenly and expanding the irradiation range.

Use it with a diffuser skirt to reflect light that does not need reflection to the subject and improve light utilization.



Item	Size	Weight
SLS4-OB70	Φ70cm	1.10kg
SLS4-OB90	Φ90cm	1.13kg
SLS4-OB110	Φ110cm	1.21kg

Softbox Mounts



Profoto Mount

SND137

0.50kg 17.1x17.1x6.3cm



Broncolor Mount

SLS4-SM-BC

0.42kg 17.1x17.1x4.4cm



Godox Mount

SLS4-SM-B

0.35kg 17.1x17.1x2.3cm



Bowens Mount

SLS4-SM-B

0.46kg 18.8x18.8x4.2cm



Profoto to Bowens Mount

SND135

0.44kg 14.5x14.5x10.5cm



Quick-Folding Bowens Mount

SLQ16-2.5

0.60kg 22x22x4.2cm

Beauty Dish



Beauty Dish Reflector - Silver

Item	Size	Weight
SLH4-30CM-S	Φ30cm	0.44kg
SLH4-42CM-S	Φ42cm	0.84kg
SLH4-55CM-S	Φ55cm	1.87kg



Beauty Dish Reflector - White

Item	Size	Weight
SLH4-42CM-W	Φ42cm	0.84kg
SLH4-55CM-W	Φ55cm	1.87kg





Collapsible Reflectors

As a little expert in filling light, the reflector is one of the essential props for photography. It mainly comes in three shapes: round, oval and square. Reflectors mainly come in five colors: gold, black, silver, and soft light. Different colors have different light effects.



No Reflector

Without a reflector, the shadows are too dark, the light-receiving surface is overexposed, and details are easily lost.



White Reflector

The reflective performance is not very strong, and the effect looks soft and natural, which can make the details of the shadow areas richer.



Silver Reflector

It has strong reflective ability and can reflect brighter light, and can be used as a contour light or eye light. Use more on cloudy days



Diffuser

It plays the role of blocking and weakening the light between the light source and the subject or person, making the light soft and reducing the contrast.



Black Reflector


Black Reflector use light reduction methods to reduce the amount of light. Placing them near models or subjects can reduce the amount of light and increase the three-dimensional effect.



Gold Reflector

The golden reflector can change the color temperature to become a warm light source, which can be used as the main light or "ambient light"

Multi coating protected




Protective coating: Protect Rubber reflector coating from scratches and erosion

Rubber reflector coating: High quality and high reflectivity rubber coating

Isolation coating: Separate Rubber reflector coating from Wavy grain fabric,let Rubber reflector coating can reflect the light perfectly

Wavy grain fabric: Wavy design to provide better diffuse reflection

Collapsible Reflectors



Collapsible Reflectors


Color




2-in-1: The reflector has two colors: positive and negative.
5-in-1: There are 5 colors to choose from in a set of reflectors.



Shape



Handle



Item	Shape	Color	Size	Handle	Weight
SLR4-30-GS	Round	2-in-1 (Gold / Silver)	Ø 30 cm	No Handle	0.06 kg
SLR4-30-SW	Round	2-in-1 (White / Silver)	Ø 30 cm	No Handle	0.05 kg
SLR4-45-GS	Round	2-in-1 (Gold / Silver)	Ø 45 cm	No Handle	0.07 kg
SLR4-45-SW	Round	2-in-1 (White / Silver)	Ø 45 cm	No Handle	0.07 kg
SLR4-60-GS	Round	2-in-1 (Gold / Silver)	Ø 60 cm	No Handle	0.22 kg
SLR4-60-SW	Round	2-in-1 (White / Silver)	Ø 60 cm	No Handle	0.22 kg
SLR4-80-GS	Round	2-in-1 (Gold / Silver)	Ø 80 cm	No Handle	0.35 kg
SLR4-80-SW	Round	2-in-1 (White / Silver)	Ø 80 cm	No Handle	0.28 kg
SLR4-110-GS	Round	2-in-1 (Gold / Silver)	Ø 110 cm	No Handle	0.05 kg
SLR4-110-SW	Round	2-in-1 (White / Silver)	Ø 110 cm	No Handle	0.05 kg
SLR4-100*150	Oval	2-in-1 (Gold / Silver)	100 x 150 cm	No Handle	0.95 kg
SLR4-150*200	Oval	2-in-1 (Gold / Silver)	150 x 200 cm	No Handle	1.31 kg
SLR4-120*180	Oval	2-in-1 (Gold / Silver)	120 x 180 cm	No Handle	1.42 kg
SLR4-5in1H-60	Round	5-in-1	Ø 60 cm	One handles (plastic)	0.33 kg
SLR4-5in1H-80	Round	5-in-1	Ø 80 cm	Two handles (plastic)	0.46 kg
SLR4-5in1H-110	Round	5-in-1	Ø 110 cm	Two handles (plastic)	0.74 kg
SLR4-5in1H-60*90	Oval	5-in-1	60 x 90 cm	Three handles (plastic)	0.49 kg
SLR4-5in1H-80*120	Oval	5-in-1	80 x 120 cm	Three handles (plastic)	0.80 kg
SLR4-5in1-100*150	Oval	5-in-1	100 x 150 cm	No Handle	1.36 kg
SLR4-5in1H-100*150	Oval	5-in-1	100 x 150 cm	Three handles (sponge)	1.34 kg
SLR4-5in1H-120*180	Oval	5-in-1	120 x 180 cm	Three handles (sponge)	2.06 kg
SLR4-5in1H-150*200	Oval	5-in-1	150 x 200 cm	Three handles (sponge)	2.34 kg
SLR4-5in1H-80*80	Square	5-in-1	80 x 80 cm	Two handles (plastic)	0.62 kg
SLR4-5in1H-100*100	Square	5-in-1	100 x 100 cm	Two handles (plastic)	0.72 kg
SLR4-T5in1H-80	Triangle	5-in-1	Ø 80 cm	One handle (plastic)	0.41 kg
SLR4-T5in1H-100	Triangle	5-in-1	Ø 100 cm	One handle (plastic)	0.63 kg



Compact Fold-Away Butterfly Frames

The compact fold-away butterfly frame is made of aluminum alloy and foldable for easy storage

Compared with the soft box, it has a larger light source area and can create a softer light effect, whether it is softening direct sunlight in outdoor shooting, or creating a soft shadowless light effect in the studio, soft light Screens have an irreplaceable role in controlling light.



304 stainless steel four corner supports



Folding card lock, easy to install

Item	Size	Weight
SLS4-BF15	150x150cm	8.1kg
SLS4-BF20	200x200cm	9.4kg
SLS4-BF24	240x240cm	10.5kg
SLS4-BF36	360x360cm	13.8kg



Product List

	Carrying bag	x1
	Bracket	x1
	Support clip	x2
	Soft light cloth	x1
	Elastic rope	x1

3 background cloths to choose, The geen cloth, black cloth and grid.



the frame not include

Butterfly Frame Chroma Key Green Cloth


SLS4-BFC15	150x150cm
SLS4-BFC20	200x200cm
SLS4-BFC24	240x240cm
SLS4-BFC36	360x360cm



the frame not include

Butterfly Frame Black Cloth

SLS4-BFB15	150x150cm
SLS4-BFB20	200x200cm
SLS4-BFB24	240x240cm
SLS4-BFB36	360x360cm




the frame not include

Butterfly Frame Grid

SLS4-BFG15	150x150cm
SLS4-BFG20	200x200cm
SLS4-BFG24	240x240cm
SLS4-BFG36	360x360cm

Flags & Frames

The flag is composed of a stainless steel flag frame and a flag cloth of a specific fabric. The flag board is light and strong, and has a good effect on softening or blocking light.



Gold, Silver, Black, Soft White Flag

Item	Size (Excluding handle)	Weight
SLF4-FB45*60	45x60cm	0.10kg
SLF4-FB60*75	60x75cm	0.14kg
SLF4-FB75*90	75x90cm	0.21kg

Four-color cloth is the four sides of a cloth cover
Made of professional fabric, does not fade, reflects light softly.

Soft White Flag

Item	Size (Excluding handle)	Weight
SLF4-FS45*60	45x60cm	0.06kg
SLF4-FS60*75	60x75cm	0.08kg
SLF4-FS75*90	75x90cm	0.10kg

Black Flag

Item	Size (Excluding handle)	Weight
SLF4-FC45*60	45x60cm	0.10kg
SLF4-FC60*75	60x75cm	0.15kg
SLF4-FC75*90	75x90cm	0.24kg



Stainless Steel Flag Frame

Item	Size (Excluding handle)	Weight
SLF4-F45*60	45x60cm	0.10kg
SLF4-F60*75	60x75cm	0.14kg
SLF4-F75*90	75x90cm	0.21kg



Magnetic Attraction Stainless Steel Flag Frame

Item	Size (Excluding handle)	Weight
SLF4-MF45*60	45x60cm	0.10kg
SLF4-MF60*75	60x75cm	0.14kg
SLF4-MF75*90	75x90cm	0.21kg

Magnetic adsorption, quick disassembly and assembly



Floppy Flag

Item	Size (Open Size)	Weight
SLF4-FF75*90	75x188cm	0.34kg

It can be folded and unfolded into multiple angles according to the usage scenario to shade, block, and weaken light.

Reflectors

Curved Reflector

Curved reflector uses arc-shaped structure and high reflectivity material, it can adjust the reflection at 90°.

Item	Size	Weight
SLR4-CR50*150	50x150 cm	2.13kg
SLR4-CR60*110	60x110 cm	2.29kg
SLR4-CR60*180	60x180 cm	2.65kg
SLR4-CR105*260	105x260 cm	3.72kg



Collapsible Reflector

Collapsible reflector uses an aluminum alloy frame and can be installed with different accessories to create different effects.

Item	Size	Weight
SLR4-SRS80*94	80x94cm	1.40kg
SLR4-SRS80*140	80x140cm	1.93kg



Umbrellas



Umbrella Deep Silver

Item	Size	Depth	Weight
SLR4-U41R	Φ105cm	37cm	0.85kg
SLR4-U51R	Φ130cm	47cm	1.10kg
SLR4-U65R	Φ165cm	58cm	1.30kg



Umbrella Deep Diffuser

Item	Size	Weight
SLR4-U41R-S	Φ105cm	0.2kg
SLR4-U51R-S	Φ130cm	0.21kg
SLR4-U65R-S	Φ165cm	0.222kg



Octagonal Reflective Umbrella

Item	Size	Weight
SLR4-UBS33	Φ33" (Φ83cm)	0.165kg



Umbrella Shallow Translucent

Item	Size	Weight
SLS4-US33	Φ33" (Φ83cm)	0.282kg
SLS4-US40	Φ40" (Φ101cm)	0.208kg



Umbrella Deep Translucent

Item	Size	Depth	Weight
SLR4-U41T	Φ105cm	37cm	0.85kg
SLR4-U51T	Φ130cm	47cm	1.10kg
SLR4-U65T	Φ165cm	58cm	1.30kg



Umbrella Black Diffuser

Item	Size	Weight
SLR4-U41T-B	Φ105cm	0.28kg
SLR4-U51T-B	Φ130cm	0.35kg
SLR4-U65T-B	Φ165cm	0.462kg



Octagonal Reflective Umbrella

Item	Size	Weight
SLR4-UBG33	Φ33" (Φ83cm)	0.304kg



Octagonal Umbrella Softbox

Item	Size	Weight
SLS4-UR33	Φ33" (Φ83cm)	0.509kg
SLS4-UR40	Φ40" (Φ101cm)	0.632kg



Cardboard Reflectors




Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-3A4-WGSB	A4 (210x297mm)	0.31kg
SLR4-3A3-WGSB	A3 (297x420mm)	0.598kg



Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-3A4-BGSW	A4 (210x297mm)	0.31kg
SLR4-3A3-BGSW	A3 (297x420mm)	0.598kg



Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-2A4-WSB	A4 (210x297mm)	0.196kg
SLR4-2A3-WSB	A3 (297x420mm)	0.389kg




Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-3A4-SGBW	A4 (210x297mm)	0.31kg
SLR4-3A3-SGBW	A3 (297x420mm)	0.598kg



Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-3A4-WSBG	A4 (210x297mm)	0.31kg
SLR4-3A3-WSBG	A3 (297x420mm)	0.598kg




Cardboard Reflectors

Item	Size (One Side)	Weight
SLR4-2A4-WGB	A4 (210x297mm)	0.196kg
SLR4-2A3-WGB	A3 (297x420mm)	0.389kg



Air Cushion Stands



Air Cushion Stand220cm

SLA-2200



220cm



78.5cm



1.5kg



68cm



7kg




30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1



Air Cushion Stand240cm

SLA-2400



240cm



84cm



1.66kg



77cm



7kg




30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1



Air Cushion Stand260cm

SLA-2600



260cm



106cm



1.68kg



94cm



7kg




30,26,22mm

Main Material: Aluminum Alloy

Product List:

Stand x1



Air Cushion Stand280cm

SLA-2800



280cm



96cm



1.7kg



104cm



5kg



30,26,22,19mm


Main Material: Aluminum Alloy

Product List:

Stand x1

Air Cushion Stands

Air Cushion Stand is made of aluminum alloy, and the air cushion buffer device can prevent the light pole from falling instantly if it is not locked.



Air Cushion Stand395cm

SLA-3950



395cm



137cm



2.4kg



111cm



7kg



30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1



Air Cushion Baby Boom Stand

SLA-280S



280cm



96cm



2.2kg



83.5cm



7kg



30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1 ,Sand Bag x1



Aluminum Baby Boom

SBG210



1.4kg



Length: 26,22,19mm



80-200cm

Optional Accessories



Automatic buffering when the light stand is lowered to reduce damage to the light stand



Thickened support, stable support



Thickened tripod stand for reliable support



The head of the stand has cross perforations, and the baby pin can be installed horizontally or vertically

53

Lightweight Stands

Carbon Fiber 2-in-1 Multi-
Stand

SLC-180

180cm

48cm

0.86kg

48cm

5.0kg

25,22,19,16mm

Main Material: Carbon Fiber + Aluminum Alloy

Product List:

Stand x1, Stand bagx1

2-in-1 Multi-Stand

FL-240

240cm

52cm

1.33kg

50cm

5.0kg

25,22,19,16,13mm

Main Material: Aluminum Alloy

Product List:

Stand x1

Foldable Stand

L-1700

169cm

55cm

1.15kg

55cm

3.0kg

30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1

Foldable Stand

L-2000A

185cm

48.5cm

0.98kg

48.5cm

2.5kg

25,22,19,16,13mm

Main Material: Aluminum Alloy

Product List:

Stand x1

Stainless steel
Lightweight Stand

SLU-2200

220cm

78.5cm

1.9kg

68cm

5kg

30,26,22,19mm

Main Material: Stainless steel

Product List:

Stand x1

Click Stands

Multiple light stands can be stored and connected to each other. Press the unlock button to quickly separate the light stands. There is also a shoulder strap hole design so that the light stand can be carried on the shoulder.

Align the grooves and insert to complete the connection locking

The stand can be quickly detached at the push of a button

Shoulder strap hole design, more convenient to carry

Click Stand2.6m

MF702A

260cm

94.5cm

1.7kg

80.5cm

5kg

30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1

Click Stand3m

MF702

330cm

94.5cm

1.9kg

80.5cm

5kg

30,26,22,19mm

Main Material: Aluminum Alloy

Product List:

Stand x1

Optional Accessories

Click Stand
Shoulder Belt

MF702SB

0.15kg

26x18x3.5cm

54

55

Roller Column Stands

Folding light stand with a low center of gravity and each support leg has a spring lock to quickly fold the light stand. One of the support legs is adjustable in angle to keep the light stand balanced on sloping or uneven terrain. Install removable casters to facilitate moving the light stand.



Wind-Up Roller Column Stand

MF689

216cm

137cm

6kg

128cm

5kg

35,30mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1



Hand crank design, effortless operation and high safety

Roller Stand

SW-6800

35cm

35cm

4.6kg


54.5cm

30kg

Main Material: Iron

Product List:

Stand x1, Allen wrench x1



Roller Column Stand

SW-6880B

220cm

131cm

6.7kg

121cm

10kg

35,30mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

Roller Column Stand

SW-6860

258cm

107cm

6.7kg

97cm

5.0kg

35,30,25mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

Roller Column Stand

SW-6870

340cm

111cm

7.8kg

100cm

5.0kg

35,30,25,20mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

Roller Column Stands

Bearing capacity 15KG, multiple Sliding Arms can be installed on the main pole. Each Sliding Arm bears 5KG and supports 360° rotation to the left and right.

Roller Column Stand Include Sliding Arm

SLH4-S2100

220cm

115cm

7.6kg

110cm

15kg

35mm

Main Material: Iron+304 Stainless steel

Product List:

Stand x1、Stand extension rod x1、Main rod connector x1、Sliding Arm x1、Allen wrench x1、Head adapter bracket x1、head adapter screw x1、Head adapter screw capx1、1/4" 9/32" Snap In Pins x1

Roller Column Stand Include Sliding Arm

SLH4-S2500

240cm

115cm

8.15kg

44cm

15kg

35mm

Main Material: Iron+304 Stainless steel

Product List:

StandC-stand base(include a Main pole, 3wheels)x1、Sliding Arm x1、Stand extension rod x5、Allen wrench x1、1/4" 9/32" Snap In Pins x1

Roller Column Stand

SW-6880B

220cm

131cm

6.7kg

121cm

10kg

35,30mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

Roller Column Stand

SW-6860

258cm

107cm

6.7kg

97cm

5.0kg

35,30,25mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

Roller Column Stand

SW-6870

340cm

111cm

7.8kg

100cm

5.0kg

35,30,25,20mm

Main Material: Iron

Product List:

Stand x1, Allen wrench x1

10cm

The front end of the sliding arm adopts a 3-hole design, and the stud can be fixed at three angles: the upper, lower and front end.

10cm

One of the leg of the base can be extended by 10cm

Optional Accessories

Sliding Arm

MF6884

1.47kg

18x8x25cm

C-Stands

Different from the split-leg fixed design of ordinary tripods, the three legs of the C-Stand can be folded and placed, which saves space and improves the problems of laborious operation, easy jamming and complicated maintenance. It has good stability.



Foldable base



Folding feet, stable and non-shaking




Oversized knob with brass threaded bushing for durability




Buffer rubber ring to prevent hand pinching and protective equipment



Insert the main rod and lock the knob for easy installation



Support pads made of high-hardness POM material, wear-resistant



Made of 304 stainless steel, Steel pipe thickness is about 1mm

Stainless Steel 40" C-Stand
SLS136

295cm	136.5cm	8.5kg	136.5cm
40kg	35,30,25mm		

Main Material: 304 Stainless steel

Product List:

C-stand base x1, Main pole x1, Crossbar (100cm) x1, Grip head x2

C-Stands



Spring ring locking system opens and closes base in 1 second

40" C-Stand

SLS136C-B ● Black
SLS136C-S ● Silver

295cm	130cm	8.7kg	130cm
30kg	35,30,25mm		

Main Material: Iron

Product List:

C-stand base x1, Main pole x1, Crossbar (100cm) x1, Grip head x2

Quick-Release 40" C-Stand

SLS136B-B ● Black
SLS136B-S ● Silver

305cm	140cm	8.9kg	136.5cm
30kg	35,30,25mm		

Main Material: Iron

Product List:

C-stand base x1, Main pole x1, Crossbar (100cm) x1, Grip head x2



One of the legs can be height-adjusted by releasing the locking knob and sliding up or down the pole to keep the stand level on sloping or uneven terrain.

40" C-Stand Sliding Leg

SLS136A-B

● Black

SLS136A-S

● Silver

295cm

130cm

8.4kg

130cm

30kg

35,30,25mm

Main Material: Iron

Product List:

C-stand base x1, Main pole x1, Crossbar (100cm) x1, Grip head x2



20" C-Stand

SLS68C-B

● Black

SLS68C-S

● Silver

140cm

79cm

6.7kg

79cm

30kg

35,30,25mm

Main Material: Iron

Product List:

C-stand base x1, Main pole x1, Crossbar (50cm) x1, Grip head x2



40" C-Stand

SLS136N-B

● Black

SLS136N-S

● Silver

295cm

130cm

6.8kg

130cm

30kg

35,30,25mm

Main Material: Iron


Product List:

C-stand base x1, Main pole x1



Heavy Duty Stands

The stand is made of stainless steel and aluminum alloy. It has a large opening diameter and a low center of gravity. It can bear a load of up to 35kg and can be used for heavy-duty film and television lights. 3+1 load-bearing mode, the main pole stabilizes the center of gravity when landing, and the load-bearing is more stable. The telescopic legs can be freely adjusted according to shooting needs, and can adapt to uneven roads such as stairs. Equipped with universal wheels with foot brakes, it is convenient to move heavy equipment at any time and improve efficiency.



Telescopic legs adapt to various terrains



Aluminum alloy tripod thickened design



Main pole floor-standing design, more stable load-bearing



Universal wheels with foot brake, easy to move

The low-boy stand with low center of gravity includes the Baby Pin and Universal Head, with standard storage hook.



16mm Baby Pin



Universal Head



Standard storage hook, compatible with light stand carts, easy to store

Heavy Duty Stands



Low-Boy Stand with Baby Pin

SLH4-HL1700

164cm

70cm

5.9kg

82cm

35kg

35,30,25mm

Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1



Low-Boy Stand with Baby Pin

SLH4-HL1200

116cm

64cm

5.4kg

76cm

35kg

35,30mm

Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1



Low-Boy Stand with Universal Head

SLH4-HL1700H

172cm

78cm

6.9kg

90cm

35kg

35,30,25mm

Main Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1



Low-Boy Stand with Universal Head

SLH4-HL1200H

124cm

72cm

6.25kg

84cm

35kg

35,30mm

Main Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1

Heavy Duty Stands

The stand is made of thickened stainless steel and aluminum alloy, which has strong load-bearing capacity and can be used for heavy-duty film and television lights. The central pole can be freely raised, lowered, disassembled and assembled according to shooting needs, allowing for flexible use. An extendable leg can meet different shooting locations and provide optimal support for the lamp.



Heavy Duty Stand

MYA-2200

220cm

110cm

8.6kg

130cm

10kg

35,30,25mm

Main Material: Stainless steel

Product List:

Stand x1



Heavy Duty Stand

MYA-3000

300cm

117cm

8.9kg

130cm

10kg

35,30,25,20mm

Main Material: Stainless steel

Product List:

Stand x1

Optional Accessories



Wheels for Heavy Duty Stand

842874

Heavy Duty Stands

Made of steel, it is specially used to create high-angle light. It controls the lifting and lowering through a hand-operated drive gear. The automatic locking design and the double-lever anti-fallback design can prevent the main rod from falling unexpectedly.

28mm female base with 3 safety clasps. Telescopic support legs, horizontally adjustable, suitable for a variety of terrains.



Telescopic support legs, horizontally adjustable



The main pole is equipped with pedals for easy climbing



Thickened steel material



Removable handle for easy transportation and storage



Rubber wheels for easy movement



386cm
Maximum Height

Heavy Duty Wind-Up Stand with Braked Caster

C702


386cm	171cm	39kg	196cm
80kg	70,60,50mm		

Main Material: Chrome plated steel pipe

Product List:

Stand x1

Heavy Duty Stands



610cm
Maximum Height

Jumbo Stand with Braked Caster

D804

610cm	190cm	70kg	225cm
72kg	90,80,70,60,50mm		

Main Material: Chrome plated steel pipe

Product List:

Stand x1

Optional Accessories



4.5" Grip Head

MF7012

27x24x9.8cm

Big Boom

MF6083

15kg

Length: 160-280cm

Heavy Duty Stands



Heavy Duty Light Stand
HW-580GW

580cm

172cm

18.7kg

186cm

30kg

48,42,36,30mm

Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Standx5Stand Casters x3Stud x1
Extension Grip Arm Holder x1

A medium-sized silver-colored heavy-duty light stand with a tripod base and four casters. It has a central column with adjustment points and a grip arm holder at the top.

Heavy Duty Light Stand
HW-320

320cm

130cm

11.3kg

140cm

40kg

48,42,36mm

Main Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1

A medium-sized silver-colored heavy-duty light stand with a tripod base and four casters. It has a central column with adjustment points and a grip arm holder at the top.

Heavy Duty Light Stand
HW-470

470cm

143cm

12.7kg

156cm

37kg

48,42,36,30mm

Main Material: Aluminum Alloy+ 304 Stainless steel

Product List:

Stand x1

68

Stainless Steel Stands

Made of stainless steel, strong and durable. Built-in buffer spring at the base to protect the equipment.

A tall, silver-colored stainless steel stand with a tripod base. It features a central column with adjustment points and a grip arm holder at the top.

Stainless Steel Stand
J388S

400cm

122cm

5.8kg

122cm

20kg

40,35,30,25mm

Material: 304 Stainless steel

Product List:

Stand x1

A medium-sized silver-colored stainless steel stand with a tripod base. It has a central column with adjustment points and a grip arm holder at the top.

Stainless Steel Stand
J220S

210cm

75cm

1.7kg

75cm

5kg

30,25,22mm

Main Material: 304 Stainless steel

Product List:

Stand x1

A medium-sized silver-colored stainless steel stand with a tripod base. It has a central column with adjustment points and a grip arm holder at the top.

Stainless Steel Stand
J288S

280cm

100cm

2.4kg

100cm

10kg

35,30,25mm

Main Material: 304 Stainless steel

Product List:


Stand x1

69

Backlight Stands

Each leg is equipped with a spring lock, which locks automatically after unfolding. The light stand can be quickly folded. The angle and level of the legs can be adjusted to adapt to different terrains.

All are equipped with removable casters, making moving the light stand easier.



Small Roller Base
B4-20

- 25.5cm, 25.5cm, 3kg
- 10kg
- Main Material: Aluminum Alloy
- Product List: Stand x1, Allen wrench x1

Small Roller Base
B4-135

- 125cm, 69cm, 3.2kg
- 10kg, 26,22,19mm
- Main Material: Aluminum Alloy
- Product List: Stand x1, Allen wrench x1

Small Roller Base
B4-70

- 77cm, 57cm, 3.2kg
- 10kg, 22,19mm
- Main Material: Aluminum Alloy
- Product List: Stand x1, Allen wrench x1

Backlight Stands

Lightweight, compact folding floor lamp stand. Small size makes it easy to store and carry.



Folding Base Mini Stand
L-100

- 12cm, 12cm, 0.825kg, 12cm
- 5.0kg
- Main Material: Iron+Aluminum Alloy
- Product List: stand base x1, Stud x1

Folding Base Mini Stand
L-600F

- 60cm, 36.5cm, 1.1kg, 36.5cm
- 5kg, 22,19mm
- Main Material: Iron+Aluminum Alloy
- Product List: stand base x1, extension rod x1, Stud x1

Folding Base Mini Stand
L-1250F

- 110cm, 56cm, 1.28kg, 56cm
- 5.0kg, 26,22,19mm
- Main Material: Iron+Aluminum Alloy
- Product List: stand base x1, extension rod x1, Stud x1

Optional Accessories




2 Sections
Extension Rod
YCG-600

- 0.35kg, Length: 39-60cm

3 Sections
Extension Rod
YCG-1250

- 0.55kg, Length: 49-104cm

Wall Boom



Wall Boom

S1000

100cm

53cm

1.28kg

53cm

5.0kg

30,26,22mm

Main Material: Aluminum Alloy+Steel

Product List:

Wall Boom x1, Expansion screw x4, Self-tapping screws x4

Wall Boom

J1300

130cm

75cm

2.38kg

75cm

5.0kg

35,30mm

Main Material: Aluminum Alloy+Steel

Product List:

Wall Boom x1, Expansion screw x4, Self-tapping screws x4

Wall Boom

J1800

180cm

102cm

2.5kg

102cm


5.0kg

35,30mm

Main Material: Aluminum Alloy+Iron

Product List:

Wall Boom x1, Expansion screw x4, Self-tapping screws x4



Strap Light Stand

W4-86

0.335kg

17x12x8.3cm

Main Material: Iron

Product List:

Light stand x1, Straps x2, Screws x4

Wall Boom

Aluminum alloy material, used for installing ceilings, walls, etc.

Wall Mount Boom

L-250D

28cm

28cm

0.39kg

28cm

5.0kg

22mm

Main Material: Aluminum Alloy

Product List:

Light stand x1, screws x4

Wall Mount Boom

L-600D

60cm

37cm

0.58kg

37cm

5.0kg

22,19mm

Main Material: Aluminum Alloy

Product List:

Light stand x1, screws x4

Wall Mount Boom

L-1000D

100cm

45cm

0.75kg

45cm

5.0kg

26,19,16mm

Main Material: Aluminum Alloy

Product List:

Light stand x1, screws x4

Baby Wall Plate

Made of solid iron, compact and portable, with ceiling-mounted design, no need to occupy floor space. Safety rope fixing ring to prevent the device from accidentally falling.

Product List: Light stand x1, Screws x4



M11-027A

0.43kg

6x8x12cm

M11-027B

0.59kg

11.7x8x12cm

M11-027C

0.65kg

15.7x8x12cm

Baby Wall Plate5/8"

Flexible installation, can be mounted on the wall or ceiling.

Product List: Light stand x1, Screws x4 , Stud x1



MB-14

0.741g

15x8x9.6cm

C-Stand Accessories



Mounting Adapter Baby Pin
SLS4-129

0.36kg 9.2x21.8x1.6cm

Steel material, chrome plated surface, durable and anti-corrosion. Various hole positions, strong expandability



Mounting Adapter
S4-176

0.27kg 17.6x9.2x0.3cm

Steel material, chrome plated surface, durable and anti-corrosion. Various hole positions, strong expandability



Microphone Boom Holder
SMM10-MPH320

0.52kg 32x15.5x6cm

Steel material



Microphone Boom
SMM10-MC3

0.56kg Length: 28,25,22,19,16mm 82-300cm

Carbon Fiber + Aluminum Alloy

C-Stand Accessories



C-Stand Base
SLS136-CSB

3.1kg 27x50cm



C-Stand Wall Bracket
CJ360

4.11kg Upper bracket: 2.5x0.5x3.5cm Lower bracket: 2.5x2.5x3.5cm

Can place 6 C-Stands



Baby Triple Header
SLO4-TH100

1.51kg 80.8x18x2cm



(Set of 3)

Wheels

JL30
Suitable for 30mm pipe diameter
JL25
Suitable for 25mm pipe diameter
JL22
Suitable for 22mm pipe diameter

1.515kg 16x11x6.5cm



(Set of 3)

Wheels with Foot Brake

JL11-019
3.62kg 27x19x22cm



Grip Arms

SLS136-ST50-3/8
50cm 3/8" 0.37kg
SLS136-ST50-1/4
50cm 1/4" 0.37kg
SLS136-ST50-3/8-1/4
50cm 1/4"-3/8" 0.37kg
SLS136-ST100-3/8
104cm 1/4" 0.70kg
SLS136-ST100-1/4
104cm 3/8" 0.70kg
SLS136-ST100-3/8-1/4
106cm 1/4"-3/8" 0.70kg
SLS136-ST120-3/8-1/4
126cm 1/4"-3/8" 0.82kg

Made of 304 stainless steel, corrosion-resistant and rust-resistant. 7 sizes, choose as needed, use with C-stand

C-Stand Accessories



Double Gag Grip Head

SLS136-033DB ● Black
SLS136-033DS ● Silver

1.165kg 8.6x9x24cm

Available in 4 aperture sizes:
3mm / 7mm / 12mm / 15mm



Stand Adapter 1-1/8" to 5/8"

SLS136-015

0.35kg 3.8x3.8x12.5cm

Paired with C-stand base, low-angle lighting can be achieved



Grip Head

SLS136-033B ● Black
SLS136-033S ● Silver

0.625kg 16x12.5x8cm

Available in 4 aperture sizes:
3mm / 7mm / 12mm / 15mm



(Set of 3)

Stand Leg Protector Set

SLS-LP3

0.024kg 3.5x3.5x7cm

Applicable light stand leg diameter 25-45mm



Complimentary sandbag

Steel Baby Boom

SLL4-2200

3.2kg Length: 125-220cm

Made of stainless steel, durable. The extension rod can be extended to 2.2 meters



Super Viser Clamps



Super Viser Clamp

W034

Maximum opening: 60mm



Super Viser Clamp

W035

Maximum opening: 70mm



Super Viser Clamp

W036

Maximum opening: 200mm



Super Viser Clamp

W037

Maximum opening: 400mm



C Clamp

SLC4-55

0.175kg 12.8x5.5x2.5cm

Three 1/4" screw holes and one 3/8" screw hole, can be connected to other accessories, strong expandability



Desktop Mount

SLC-60A

0.382kg 3.9x5.8x51cm

1/4", 3/8" connector, for connecting to gimbals, cameras and other equipment, the bracket length is adjustable (51-83mm)



Desktop Mount with Ball head

SLC-60B

0.33kg 3.9x5.8x50cm

Ball joint, docking ball head, bracket length adjustable (50-82mm)

Super Clamps

The Super Clamp is equipped with two M5 interfaces and a 1/4" interface, which is suitable for a variety of devices. It can be installed on the round tube of a light stand or tripod to expand more equipment. It can clamp round tubes and square objects, with great flexibility and adjustability.



Super Clamp
M11-034

- 0.563kg
- 15kg
- 54x145x91mm
- Material:Main body aluminum alloy
- Product List:
- Super Clampx1 , Anti-slip mat x1, Stud x1

Clamping round tube
(Clamping diameter: 13-55mm)

clamping plane
(maximum thickness: 30mm)

The gasket snaps into the V-shaped groove for more stable clamping

Optional Accessories

 Square Mounting Plate C4-NP01 0.31kg 13x9x7.2cm	 U-Hooks C4-JH10 0.085kg 11x18x1cm	 Offset Arm C4-OA25 0.665kg 17x6x27.5cm	 Hex Extension Rod 5/8"-1/4" 63/8" M11-103 0.233kg 20x7x5cm	 Round Stud 1/4"-3/8" M11-001 0.067kg 9x5x2cm	 Hex Baby Stud 5/8" C4-SP01 0.067kg 8x13x1cm	 Snap In Pins 5/8" C4-BP120 0.17kg 11x18x1cm
 Round Stud 1/4"-3/8" C4-002 0.03kg 12x8x1.5cm	 Round Stud 1/4"-3/8" C4-002A 0.04kg 12x8x1.5cm	 Hex Stud 1/4"-3/8" C4-003 0.03kg 11x7x1cm	 Hex Stud 1/4"-3/8" C4-004 0.04kg 11x7x1cm	 Hex Baby Stud 1/4" C4-005 0.06kg 6x1.5x1.5cm	 Hex Baby Stud 3/8" C4-006 0.07kg 6x1.5x1.5cm	 Snap In Pins 5/8" C4-008 0.187kg 18x11x2cm

Sand Bag

SE-032
0.4kg Unfold size: 13x42cm
Can be hung on the light stand or placed at the bottom of the light stand to prevent the light stand from collapsing

SE-025
0.133kg 66x15cm
Thickened fabric, large opening on the side, convenient for filling materials, can hold 2.5kg

SE-050
0.192kg 76x20cm
Thickened fabric, large opening on the side, convenient for filling materials, can hold 5kg

SE-052-YB
0.24kg Unfold size: 52x25cm

SE-052-BB
0.24kg Unfold size: 52x25cm

SE-052-B
0.218kg Unfold size: 26x29cm

Studio Accessories



Foamcore Fork with 5/8" Pin

SE-030



0.30kg 20x8cm



Foamcore Fork with 5/8" Pin

SE-030A



0.34kg 36x24.5cm




Foamcore Fork with 5/8" Pin

SE-248



0.73kg 25x29.3cm



Studio Foamcore Bracket

SE-455



4.5kg 55x45x31cm

Can be used for 4.5cm-5cm thick foam board



Sky and Earth Pole (2 Pieces)

M15-2480



2.38kg Length:152-248cm

Rubber protective pads on both ends



Sky and Earth Pole (2 Pieces)

M15-3800



3.1kg Length:220-380cm

Rubber protective pads on both ends

Tailor-made for Professionals

EASY STATION Cart Workstations



EASY STATION Cart Workstations

Cart workstation, manufactured with CNC precision, is sturdy and durable, and can bear a load of more than 200kg.

The top and bottom plates can be snapped and locked, and the remaining components are placed in the internal cavity and transported using external wheels and handles. It is easy to transport and does not take up space. The director's car comes in 3 sizes: 30", 40", and 55". Different sizes meet different needs.

There are abundant expansion interfaces on the four sides of the enclosure to facilitate the connection of various external accessories. The long side fence of the upper platform can be folded and can be used as a temporary office platform.

EASY
STATION

Storage state:



30" Cart Workstation
SCF2-CW30



40" Cart Workstation
SCF2-CW40



55" Cart Workstation
SCF2-CW55

Item	Assembled Size	Storage size	Weight	Load Bearing	Material
SCF2-CW30	87.3cm x 67.5cm x 102.5cm	87.3cm x 67.5cm x 18.5cm	48.4kg	200kg	Iron + Aluminum Alloy
SCF2-CW40	112.7cm x 67.5cm x 102.5cm	112.7cm x 67.5cm x 18.5cm	53kg	200kg	Iron + Aluminum Alloy
SCF2-CW55	150.8cm x 67.5cm x 102.5cm	150.8cm x 67.5cm x 18.5cm	62.5kg	200kg	Iron + Aluminum Alloy

EASY STATION Cart Workstation Accessories



75mm Bowl Adapter
SCF2-BA75
1.27kg 19x19x3.8cm



100mm Bowl Adapter
SCF2-BA100
0.7kg 19x19x3.6cm



150mm Bowl Adapter
SCF2-BA150
0.863kg 19x19x5.9cm



Bowl Mount Kit
SCF2-CM
2.652kg 18.8x3.2x85cm



Tripod Holder Attachment
SCF2-TH
1.442kg 44x35.3x11.2cm



Heavy Duty Stand Hanger
SCF2-SHH
0.272kg 5.5x9x9.1cm



Light Stand Hanger
SCF2-SHL
0.37kg 8.5x9x9.1cm



C-Stand Hangers
SCF2-LH
0.6kg 18.8x1.8x15.8cm

EASY STATION Cart Workstation Accessories



Sunshade-White
SCF2-SU-W

Open diameter: 270cm



Sunshade-Black
SCF2-SU-B

Open diameter: 270cm



(2 pieces per set)

35MM Post Clamps
SCF2-PC35

1.24kg 25x10x3cm



8" Wheels Kit
SCF2-WK8

7kg 19.2x65.7x80cm



Two-Stage Corner Mast Riser
SCF2-MR2

1.428kg 9x5.6x76.9cm



Cable Hooks
SCF2-CH

1.015kg 12x5x28cm



Hook
SCF2-HK85

0.415kg 7x2.5x8.5cm



C-Stand Storage Clamps
SCF2-MR

0.842kg 13.2x7.5x8.1cm

EASY STATION Cart Workstation Accessories



Monitor Arm
SCF2-MA300

2.5kg 14.8x11.4x33cm



Locking Monitor Arm
SCF2-MA500

3.2kg 11.6x11.4x53.2cm



Monitor Arm System
SAB13-MAS

6kg 85x53.2x13.4cm



30" Monitor Mounting System
SAB13-MMS30

6.2kg 19.2x65.7x80cm



40" Monitor Mounting System
SAB13-MMS40

6.5kg 19.2x65.7x105.4cm



55" Monitor Mounting System
SAB13-MMS55

7kg 19.2x65.7x443.5cm



Monitor Handle
SVB12-MH

0.5kg 7.5x18.3x11.4cm



Unlimited Creativity in Limited Space

RigTree System

RigTree System



Television Mount
FL200
848g 22x22x5.2cm



Double Mounting Point
SAB13-C2
460g 8.3x6.2x11.3cm



Ball Head Adapter
SAB13-BP60
517.8g 6.1x6.1x4.8cm



Desk Mount kit
SAB13-B
1000g 8x11.5x103cm



Monitor Arm
F115B
767g 11.5x11.5x13.5cm



Single Mounting Point
SAB13-C1
286g 6.2x13.7x12.2cm



Extension Grip Arm
SAB13-AE
471.5g 6.3x5.7x2.3cm



M28 Main Pole
SAB13-500M28
1000g 4.3x4.3x63.9cm



Quick Release Monitor Mount Plate
FL115A
612g 13.5x14.5x2cm



Swivel Arm
SAB13-AP
1163g 9.4x3x0.95cm




Triangle Extension Arm
SAB13-AL
1033.6g 29.3x82.4x5.6cm



Boom Arm
SAB13-AS
517.8 g 0.6x0.6x4.1cm

RigTree System



Laptop Bracket
SAB13-LB450
6kg 85x53.2x13.4cm



Universal Power Bank Holder
SC36
96g 3.6x3.8x7cm



Laptop Bracket Kit
SDL290A
1644g 36x24x4cm



Universal Holder for External SSD
SC40
103g 3.7x3.6x8.5cm



Mouse Pad
SDL290C
670g 21x22x2.5cm



Tripod Mount
SDL290B
370g 29x16x2cm





Camera & Phone Cages

Camera cage is made of metal, fits the camera without blocking the interface, buttons, battery and screen.

Currently supports Sony, Canon, Nikon, etc.

The camera cage has reserved multiple cold shoes, 1/4", and 3/8" threaded holes to facilitate the connection of external equipment, such as top handles, side handles, magic arm, etc.



Camera cage is made of aluminum alloy, processed by CNC, and molded accurately according to the camera.



Built-in magnetic wrench, easy to use at any time without fear of loss.



More interfaces: cold shoes, 1/4" threaded hole, 3/8" threaded hole, etc., can be expanded with accessories.



Silicone anti-slip pad to prevent camera from rotating.

Camera & Phone Cages



Camera Cage for Sony ZV-E1

ZV-E1-W ○ White
ZV-E1-B ● Black
152g 13.3x5.6x9.3cm



Camera Cage for Sony FX3 / FX30

FX3-B
215g 20x19x8cm



Camera Cage for Sony A6700

A6700-B
162g 13.3x9.8x3.8cm



Camera Cage for Sony A74 II

A74II-B
250g 16x8x12cm
Suitable for Sony A74 / A7R5 / A7S3 / A7R4 / A73 / A7R3 / A7S2



Camera Cage for Sony A7CII / A7CR

A7CII/A7CR-B
158g 14x9.1x5.7cm



Camera Cage for Canon EOS R10

SRC8-R10-B
127g 13.8x11x6.2cm



Camera Cage for Canon EOS R8

SRC8-R8-B
102g 10x8x3.8cm



Camera Cage for Canon EOS R7

SRC8-R7-B
165g 17.2x11x5.2cm



Camera Cage for Canon EOS R6 Mark II

SRC8-R6II-B
176g 14x10.8x3.8cm

Camera & Phone Cages



Camera Cage for Canon R5 / R6

SRC8-R5
220g 16.5x12x8cm



Camera Cage for Nikon Z5 / Z6 / Z7 / Z6II / Z7II

SRN8-Z6-B
215g 14.9x65.5x11.9cm



Camera Cage for Nikon Z8

SRN8-Z8-B
158g 17.5x17.5x7.5cm



Camera Cage for Fujifilm X-T5

SRF8-XT5-B
165g 14.7x10.6x3.8cm



Camera Cage for Fujifilm X-H2S

SRF8-XH2S-B
196g 15.3x11.6x4cm



Camera Cage for Lumix S5II / S5IIX

SRP8-S5II-B
170g 14.7x11.9x3.8cm



Cage for Atomos Ninja Series

SRA8-NinjaV-B
134g 20x12x3.4cm
Ninva V / V+ / Ultra / Shinobi



Atomos Connct Kit for Ninja Series Cage

SRA8-NinjaV-CK-B
13g 10.7x2.6x1.9cm
Ninva V / V+ / Ultra / Shinobi



Universal Phone Cage

SRM8-U1223
290g 24.5x12.6x4.8cm



Camera L-Plates

The L-plate has ARCA quick-release slots on the bottom and sides, support quick switch between horizontal and vertical shooting modes.

It made of metal, improve the expandability of the camera and protect the camera.

It is precisely made according to the size of the camera and without blocking the camera ports, buttons, battery compartment and display.



L-plate is made of metal and is made with CNC technology. It is precisely made according to the size of the camera and has precise hole positions.



1/4", 3/8" screw holes for expansion of accessories, such as microphones, lights, etc.



Anti-slip sheet on the bottom to prevent the camera from spinning and scratching.



Some L-plate battery compartment covers adopt a flip design to avoid blocking the battery compartment.



Some L-plate side panels adopt a pull-out design, leaving space for wires.



Built-in hexagonal wrench or flat wrench, magnetic storage to prevent loss.



Some L-plate side panels adopt a detachable design and can be disassembled and assembled according to shooting needs.

Camera L-Plates



L-Plate for Canon EOS R5 / R6

SLC8-R5-B


284g


16x8x12cm



L-Plate for Canon EOS R6 Mark II

SLC8-R6II-B


90g


14.8x7.2x10cm



L-Plate for Canon EOS R8

SLC8-R8-B


160g


15.5x8.2x11.5cm



L-Plate for Sony A7R4

SLS8-A74-B


210g


15x8x11.5cm



L-Plate for Sony A7S3

SLS8-A7S3-B


210g


15x8x11.5cm



L-Plate for Nikon Z5 / Z6 / Z7 / Z6II / Z7II

SLN8-Z6-B


239g


8x12x16cm



L-Plate for Sony A7II / A7III / A9

SLS8-SA73-B


270g


15x8x11cm



L-Plate for Universal

L-M


160g


10.7x4x7.5cm

Camera Accessories



Arca Quick Release Plate (small size)

FS55


30g


5.5x3.5x1cm



Arca Quick Release Plate (large size)

FS70


42g


7x4x1cm



Tethering Plate

SEO8-76


145g


16x9x4cm

For installation at the bottom of the camera, it provides the function of fixing external cables. Comes with multiple 3/8" and 1/4" screw holes for easy attachment of L-plate and other accessories



Arca Quick Release Clamp (small size)

SC-22


40g


12x8x1.5cm

Made of aluminum alloy, compatible with Arca standard quick release plate. Millimeter scale prompts to accurately control the camera installation position



Arca Quick Release Clamp (large size)

SC-38


60g


12x7.5x2cm

Made of aluminum alloy, compatible with Arca standard quick release plate. Millimeter scale prompts to accurately control the camera installation position



Cable Clamp

CXJ2024


10g


12x8x1cm

Telescopic diameter, stable clamping of various wires



Mini V-Mount Battery Plate

SEO8-40


147g


15x9.3x4.1cm

Made of aluminum alloy, compatible with V-mount battery. Fixed with double screws to prevent deflection and support adjusting the screw position



NATO Rail-32mm

SEO8-32


11g


3.2x2x1.4cm

Aluminum alloy material, ARRI positioning column design prevents slider deflection. Anti-falling design on both ends to prevent accidental falling off



NATO Rail-48mm

SEO8-48


20g


2x4.8x6cm

Aluminum alloy material, Fixed with double screws to prevent the slider from deflecting. Anti-falling design on both ends to prevent accidental falling off

Camera Accessories



15mm Rod

SER8-PI20	Φ15x20.5cm	47g
SER8-PI15	Φ15x30.5cm	70g
SER8-PI10	Φ15x40.5cm	95g

15mm standard aperture, can assist in installing follow focus, lens support, camera cage, L-plate and other equipment. Can be used in combination with two rods



15mm Lens Support

SEO8-LS15
110g 10.9x3.4x9.3cm

Made of aluminum alloy, 15mm hole spacing, 60mm tube spacing, 4-section detachable 1/4" support column, height adjustable according to lens size



15mm Rod Clamp

SE08-S03
30g 12x8x1cm

15mm standard aperture, widely compatible



Dual 15mm Rod Base

SFQ13-M15DA
399g 14.7x10.4x6.5cm

Made of aluminum alloy, Manfrotto standard, supports disassembly and assembly in 4 directions to avoid being blocked by matte boxes, V-mount battery etc.15mm hole diameter, 60mm hole spacing, multiple 1/4" and 3/8" hole positions, the bottom can be used with ARRI standard dovetail plate



15mm Rod Clamp - 90°

SE08-S01
39.5g 3.4x5x3.4cm

15mm standard aperture, widely compatible. 90 degree two-way conduit clamp, quickly switch between horizontal and vertical orientations



12mm to 15mm Rod Clamp Adapter

SER8-1215
19.5g 1.5x1.5x12cm



V-Mount Battery Plate

SEO8-78	V-Mount Battery Plate
SEO8-60	15mm Rod Clamp
 129g	 19.3x11.5x5.3cm

Compatible with most V-mount batteries on the market. Expansion holes are abundant and different accessories can be connected



15mm Rod Clamp - 1/4" Screw Hole


SE08-S02
39.2g 1.9x5x3.4cm

15mm standard aperture, widely compatible. 5 1/4" screw holes to support expansion of various equipment and accessories


Camera Accessories

Standard Lightweight Dovetail Plate


Made of aluminum alloy, standard slide, compatible with catheter base. There are 8 inch, 10 inch, and 12 inch, fixed with front and rear double insurance. The base plate has multiple 1/4" and 3/8" screw holes for easy installation on Fluid Head or tripod.



8" Dovetail Plate



10" Dovetail Plate



12" Dovetail Plate



Item	Size	Material	Weight
SEQ8-AD8	255*104*41mm	Aluminum alloy	252g
SEQ8-AD10	312*104*41mm	Aluminum alloy	295g
SEQ8-AD12	362*104*41mm	Aluminum alloy	360g





Camera Accessories



Top Handle with Cold Shoe

SHL-8A



238g

13x7x3.2cm



ARRI Locating Top Handle

SHL-8C



239.5g

13x7x3.2cm



NATO Top Handle

SHL-8N



239g

13x7x3.2cm



Side Handle-1/4" Screws

SHS8-116



280g

11.6x8.4x4.9cm



Side Handle-NATO

SHS8-2555



280g

11.6x8.1x5.8cm



Camera Accessories



NATO Articulating Arm
SEB8-SYBH1N

The ball head supports adjustment in 4 directions and 360° rotation. NATO stand, faster disassembly and assembly. The ball head connector can be freely expanded.



Articulating Arm 1/4" Screws
SEB8-SYBH2A

The ball head supports adjustment in 4 directions and 360° rotation. The ball head connector can be freely expanded.

Item	Size	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SEB8-SYBH1N	12.6x4.3x3.7cm	Aluminum alloy	100g	6kg	1/4"、3/8"	3/8"
SEB8-SYBH2A	11x5x2.5cm	Aluminum alloy	97.5g	6kg	1/4"、3/8"	3/8"

Camera Accessories



Arca-Type Quick Release Mount & Plate
SPQ13-QL02

207g 6.6x4.2x0.2cm




Quick-Release Kit
SPQ13-QL01

118.6g 8.8x3.8x2cm



Quick-Release Plate
SPQ13-QL01D

20g 3.8x3.8x1.1cm



Quick-Release Plate
SPQ13-QL01A

22g 3.8x3.8x1.3cm



Quick-Release Clamp
SPQ13-QL01C

98.6g 8.8x3.8x2cm



Camera Accessories



Cold Shoe Expanded Bracket
SEC8-CS92

60g 13x9x2cm

Double cold shoe expansion, double cable trough, wires are fixed properly and orderly. Multiple 1/4" screw holes are reserved to flexibly install a variety of equipment



Cold Shoe Expanded Base
SEC8-SYT3

6.5g 12x8x0.5cm



Cold Shoe Expanded Base
SEC8-25

17.3g 3.3x2.5x0.9cm

9-18mm hole spacing adjustable design, suitable for various types of accessories



Cold Shoe Expanded Base
SEC8-SLAS1/4

20g 1.2x0.8x1cm

For camera cage



Cold Shoe Expanded Base
SEC8-33

26g 1.5x2.6x3.3cm

Universal base, compatible with all types of cold shoe accessories



Cold Shoe Expanded Base
SEC8-SYT14-RX4

35g 4.5x2.9x2.2cm

Multifunctional universal base, can be expanded with a variety of photography accessories such as fill lights, mobile phone clips, microphones, etc.



Strap-on Cold Shoe Base
SEC8-BD22

21g 2.5x2.2x1cm

Equipped with one 6.5CM and one 10CM rubber strap, suitable for various pipe diameters.



Magic Ball 3 Rods Kit
SE-M003

356g 14.5x12x6.5cm

Made of aluminum alloy, the ball body has 18 holes



Magic Ball 6 Rods Kit
SE-M006

443g 22x12x6.5cm

Made of aluminum alloy, the ball body has 18 holes

Camera Accessories



Multi Clamp
SLC4-SCM01

383g 20x12x5.5cm

Magnetic design, can rotate to adjust the angle, maximum flat surface clamping up to 6.5cm, maximum clamping diameter up to 10cm



Crab-Shaped Clamp
SMC3-SCM02

240g 15x10x4.5cm

Whether it is a square column or a cylinder, it can be easily clamped and can bear a maximum load of 20kg



Suction Cup Mount Support
SFS13-SSP-3

181g 9x7.5x9cm

8KG high suction power, no trace left after repeated adsorption. With 1/4" adapter threaded hole



Universal Phone Holder
SMM13-4765

43.6g 3.5x3.5x8cm

Suitable for 4.7-6.5 inch mobile phones



Universal iPad Holder
SMM13-8200

58.3g 3x4x9cm

Universal mobile phone and tablet combination, can accommodate tablets with widths from 8-20cm



Magnetic Phone Holder
SEO8-M28

26g 2.6x2.6x1cm

Strong magnetic attraction, can be firmly adsorbed on iron products



Magnetic Phone Holder
SMM13-60

60g 6x6x2cm



Airtag Cage
SEO8-ATC40

30g 4x4x1.6cm



Universal Bubble Level
SEO8-BL22

16.5g 2.8x2.4x2.9cm

Camera Accessories



Stabilizer Belt
SAO-13GB01

411.5g

10.4x11.4x5.5cm

Compatible with 0-40mm outer diameter equipment, supports 180° rotation



Quick-Release Camera Strap
SCS2-118

170g

23.5x17x3.5cm

Magnetic pull button design makes loading and unloading safe and fast. Free wire safety rope



Wrist Phone Holder
SEO8-84

84g



Power Supply Base Plate for DJI Ronin
SPO5-RS3PB

128g

7x5.4x8.6cm

The power supply base is made of aluminum alloy and can power the DJI Ronin stabilizer. D-tap and OB2 interface support 13-17V input and output.

Applicable Model: DJI RS3 / RS3 PRO



Dual Handgrip for DJI RS2 / RSC2 / RS3 / RS3 Pro
SHS8-2540

208g

5.5x7.4x11.6cm



D-tap to OB2 2-Pins Power Cable

DTAP-OB2-1.5-SH Straight head (1.5m)

DTAP-OB2-1.5-BH Bent head (1.5m)

63g

16x9x4cm

Special power supply cable for DJI RS2\RS3 stabilizer power supply base, metal aviation connector



Camera Accessories

The mini tripod is small in size and large in load-bearing capacity. It is suitable for most heads and mobile phone holders on the market and is easy to carry. Suitable for mirrorless, SLR cameras, camcorders, DV, mobile phones and other equipment.



Aluminum Pocket Tripod
A-05

13cm

5cm

170g

16cm

75kg

Material: Aluminum Alloy

Product List:
Tripod x1, straps x3, carrying bag x1, Hex wrench x1, 3/8" adapter screw x1



Aluminum Pocket Tripod
SE-T06

4.5cm

4.5cm

170g

15cm

70kg

Material: Magnesium aluminum alloy

Product List:
Tripod x1



Pocket Tripod
STM13-14-CB ● Black
STM13-14-G ● Grey

14cm

3cm

82g

14cm

2.5kg

Material: Plastic

Product List:
Tripod x1

Suction Cup Camera Mounts

Industrial suction cup, super suction power, stable adsorption. Features multiple 1/4" and 3/8" threaded holes, compatible with various accessories.



3" Suction Cup Camera Mount
SFS13-SC30

148g 7.5x13.5x6cm



4.5" Suction Cup Camera Mount
SFS13-SC45

354g 11.5x13.5x6cm



6" Suction Cup Camera Mount
SFS13-SC60

442g 15x15x6cm

Camera Accessories



Car Mounting System

SK-1

3685g 42x28x28cm

All-aluminum alloy tripod stand, the stand legs can be stretched 30-50cm at will. With 3/8" screws, suitable for most gimbals



Shock Absorbing Cradle Head

SSPB-6

1146g 12x12x10cm





Tripod Heads

Ball Head (25mm)

SP13-BH25

Sphere diameter 25mm. The gimbal locking wrench can be pulled out to better adjust the angle. The base has a 360° horizontal scale for easy panoramic shooting.



Ball Head (30mm)

BH-30-2K-B

Sphere diameter 30mm. The gimbal locking wrench can be pulled out to better adjust the angle. The base has a 360° horizontal scale for easy panoramic shooting. The locking knob of the quick-release plate is equipped with a level, which can adjust the horizontal position more accurately when shooting vertically.



Ball Head (40mm)

SP13-BH40

40mm sphere, low center of gravity, more portable and stable. Dual panoramic design, any tilt can achieve horizontal shooting needs. 360° horizontal scale for easy panoramic shooting. Double knobs, the damping can be adjusted freely and can be quickly rotated and tightened. 90° opening and vertical groove design quickly fix the vertical shooting angle. The clamp base level facilitates quick and precise adjustment of the horizontal position.



Item	Color	Ball Diameter	Size	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-BH25	Black	25cm	74x73x50mm	Aluminum alloy	190g	6kg	1/4"	3/8"
BH-30-2K-B	Black	30cm	85x60x55mm	Aluminum alloy	370g	6kg	1/4"	3/8"
SP13-BH40	Black	40cm	60x60x82mm	Aluminum alloy	455g	8kg	1/4"	3/8"

Tripod Heads

Hydraulic Head

SP13-VH500

The Hydraulic Head supports adjusting pitch damping and automatic rebound, allowing for smooth camera movement when shooting. 65mm universal base and 3/8" screw hole, suitable for a variety of tripods.



Panoramic Head
(60min)

SP13-PH60

360° automatic rotation, panoramic time-lapse shooting, up to 2 hours, with segment scales of 15, 30, 45, and 60 minutes.



Note: When the lens exceeds 50mm, it needs to be adjusted with a fine-tuning quick-release plate, otherwise it cannot be used (the quick-release plate needs to be purchased separately)

Panoramic Head
(120min)

SP13-PH120

360° automatic rotation, panoramic time-lapse shooting, up to 2 hours, segmented scales of 30, 60, 90, 120 minutes.



Note: When the lens exceeds 50mm, it needs to be adjusted with a fine-tuning quick-release plate, otherwise it cannot be used (the quick-release plate needs to be purchased separately)

Micro Panoramic Ball Head

SP13-MBP19



Item	Height	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-VH500	10.7cm	Aluminum alloy	780g	15kg	1/4"	1/4"、3/8"
SP13-PH60	4.2cm	Aluminum alloy	210g	0.45kg	1/4"	1/4"
SP13-PH120	4.2cm	Aluminum alloy	219g	1.2kg	1/4"	1/4"、3/8"
SP13-MBP19	6.2cm	Aluminum Alloy	140g	8kg	1/4"	3/8"

Micro Heads



Micro Ball Head

SP13-BH19

The upper part on the head can be used in both positive and negative ways, and the 1/4" screw and cold shoe mount can be switched to make it easier to install and use more equipment. 360° panoramic shooting, 135° opening, and can be rotated forward and backward for easy vertical shooting.



Adjustable Monitor Mount

SP13-SYT2

The compact and easy-to-carry head is only 1/3 the size of a credit card. It can rotate 180° forward and backward and 360° horizontally to easily adjust the shooting angle.



Item	Height	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-BH19	5.5cm	Aluminum alloy	64g	5kg	1/4"	1/4"
SP13-BH19II	5.5cm	Aluminum alloy	70g	5kg	1/4"	1/4"
SP13-SYT2	4.3cm	Aluminum alloy	41g	4kg	1/4"	1/4"
SP13-SYT3	5.5cm	Aluminum alloy	150g	3kg	1/4"	1/4"



Micro Ball Head II

SP13-BH19II

Based on the first generation of the micro ball head, a cold shoe mount is added on the side to allow more external devices to be connected. The 1/4" screw and cold shoe mount can be switched to facilitate the installation and use of more equipment. The opening design allows the ball to rotate 135° forward and backward, making it easy to shoot vertically.



Adjustable Monitor Mount

SP13-SYT3

The upgraded version of the adjustable monitor mount has enhanced load-bearing capacity and a built-in gear mechanism. The angle adjustment support is stronger and not easy to loosen. It can rotate 180° forward and backward and 360° horizontally.





Tripods

Eccentric tube tripod with head

The five-section leg tube is widely telescopic and has an eccentric tube design. You only need to rotate the leg tube counterclockwise to compress it back. The central axis is retractable and removable, and can be used as a monopod and retractable selfie stick.

1/4" universal screw port,180° folded for storage, easy to carry.





Lightweight Tripod

TAE-521

155cm	22cm	800g	25cm
5.0kg	22,18,15,12,9mm	Material: Aluminum Alloy	
Product List:			
Tripod x1, Carrying bag x1, Hex wrench x1			

4-Section Camera Tripod with twist locks

Quick and easy to use lightweight professional tripod, Fast operating M-lock mechanism

Each leg can adjust three support angles: 85°、55°、25°.





Camera Tripod

TA-448

TF-448

120cm	40cm	TA448: 1074g	44cm
		TF448: 950g	
8kg	Material: TA448: Aluminum alloy TF448: Carbon fiber		
Product List:			
Tripod x1, Carrying bag x1, Hex wrench x1			



2400mAh high-quality battery, long-lasting battery life



The battery has a Type-C interface, eliminating the need to carry a charging base with you



Each battery can continuously shoot about 720 beautiful pictures and record videos for about 3 hours



Sealed storage box, waterproof, dustproof and pressure-proof, with sponge pad lining to protect the battery

Batteries

It uses the original battery cell of the camera, and the battery has a type-C interface for easy charging. Paired with the Selens white battery box, it can charge two batteries at the same time, or it can be used as a power bank to charge phones and other devices.



Battery

Type-C Battery

Battery for Nikon EL15

TEN-EL15

Type-C Battery

EN-EL15

Battery



76g



5.6x3.9x2cm

Suitable for Nikon: Z7 II、Z6 II、Z7、Z6、Z5、D850、D810A、D810、D800、D800E、D750...



Battery

Type-C Battery

Battery for Sony FZ100

TNP-FZ100

Type-C Battery

NP-FZ100

Battery



81g



5.1x3.8x2.2cm

Suitable for Sony: A9、ILCE-9、A7R V、A7R III、A7 III、A6600、A7S III、A7C、A9 II、A7R IV、FX30...



Battery

Type-C Battery

Battery for Fujifilm NP-W235

TNP-W235

Type-C Battery

NP-W235

Battery



80g



5.1x3.8x2.2cm

Suitable for Fujifilm: X-T4、X-T5、GFX 100S、GFX 50S、X-H2、X-H2S...



Charging Case for Nikon EL-15

DB-EL15



144g



13.5x9.5x3cm

Suitable for Nikon battery: Z7 II、Z6 II、Z7、Z6、Z5、D850、D810A、D810、D800、D800E、D750...



Charging Case for Sony FZ100

DB-FZ100



144g



13.5x9.5x3cm

Suitable for Sony battery: A9、ILCE-9、A7R V、A7R III、A7 III、A6600、A7S III、A7C、A9 II、A7R IV、FX30...



The charging case can store 2 batteries and two SD cards at the same time



After installing the battery, you can charge your phone



Charger for Nikon EL-15

DL-EL15



56g



9.5x5.5x4cm

Suitable for Nikon battery: Z7 II、Z6 II、Z7、Z6、Z5、D850、D810A、D810、D800、D800E、D750...



Charger for Sony FZ100

DL-FZ100



56g



9.5x5.5x4cm

Suitable for Sony battery: A9、ILCE-9、A7R V、A7R III、A7 III、A6600、A7S III、A7C、A9 II、A7R IV、FX30...



Charger for Fujifilm NP-W235

DL-W235



56g




9.5x5.5x4cm

Suitable for Fujifilm battery: X-T4、X-T5、GFX 100S、GFX 50S、X-H2、X-H2S...



Batteries

Dual D-TAP interface, Type-C 100W input and output power.BP/D-TAP 207W output power, DC power supply from 8V to 12V.



Type-C fast charging can be used as a power bank to power devices



High-performance imported BMS intelligent control chip



OLED display, real-time display of Parameterss



SBO5-V99



SBO5-V155



SBO5-V207

Item	SBO5-V99	SBO5-V155	SBO5-V207
Material	Aluminum alloy	Aluminum alloy	Aluminum alloy
Capacity	6700mAh 99Wh	10500mAh 155Wh	14000mAh 207Wh
Charging port input	100W	100W	100W
BP/D-TAP input	5A(MAX)	5A(MAX)	5A(MAX)
BP/D-TAP output	14.8V/14A(MAX)	14.8V/14A(MAX)	14.8V/14A(MAX)
USB-C input	5V/3A、9V/3A、12V/2A、12V/3A、15V/3A、20V/5A、20V/3.25A、9V-12V/2A、4.2V-9V/3.25A		
USB-C output	5V/3A、9V/3A、12V/2A、12V/3A、15V/3A、20V/5A、20V/3.25A		
DC output	8V/2A(MAX) / 12V/2A(MAX)		
Optional charging methods	16.8V D-TAP Charger、USB-C Charger（USB-C charger that supports PD fast charging and gallium nitride charger, supports up to 100W）		
Product Size	101*73*56mm	101*73*77mm	101*73*94mm
Weight	0.7KG	0.96KG	1.2KG

Studio Accessories

Studio Storage Cart

The Studio storage cart is made of density board with PVC edging on the surface. Each small grid is 11.5x11cm, with a 53° bevel design. The heights of the upper, middle and lower floors are 69cm, 59cm and 49cm respectively. The grid size can be freely combined according to the size of the photographic equipment. Rubber universal wheels with braking function, flexible and convenient to move. Can store tripods, light stands, background paper and other photography accessories.



SDS12-SC12-W



SDS12-SC18-W



SDS12-SC18-B

Item	Size	Color	Number of storage compartments	Weight
SDS12-SC12-W	52x36.5x76.5 cm	White	12 Squares	19.3kg
SDS12-SC18-W	76x36.5x76.5 cm	White	18 Squares	22.3kg
SDS12-SC18-B	76x36.5x76.5 cm	Black	18 Squares	22.3kg



Rubber caster wheel with brake function

Studio Accessories



Handheld Smoke Maker
SS12-SM187

0.28kg 18.7x16x4cm

Vegetable glycerin, colorless and odorless. Disposable smoke pod, fixed with magnets, easy to disassemble and assemble.



Smoke Pod
SS12-SM53

0.005kg 5.3x4x4cm

Capacity 17ml (can be used for about 900 seconds)



Studio Blower
CF-01

3.293kg 29x10x28cm

120W high power, 5.5m³/min air volume, stepless adjustment of wind power



Studio Fan
SFB12-SF01

5kg 40x40x20cm



Studio Hook
SEH8-140

0.164kg 14x10.5x4cm

Large hooks for hanging various softboxes and studio tools



Studio Accessories

Folding Cart

The folding cart is specially designed for outdoor photography. It has a large capacity and strong load-bearing capacity. It can store various equipment at will and is easy to access. The handlebar design at the bottom of the cart allows the cart to be folded quickly, making it more convenient to use and taking up less space. Folding cart have two different wheels to choose from - narrow wheels and sand wheels. The narrow wheels are made of rubber and have deep tire treads; the sand wheels have a larger ground contact area and are more wear-resistant, and can pass through soft textures such as beaches, grass, and muddy roads. Front wheel foot brake design makes parking safer and more secure.



Internal space of folding tool cart:
Large and small storage bags on the inner wall,
storage of various tools in different areas



Folding lever, adjustable at
multiple angles



Side handle design makes it easier
to carry horizontally after storage



Foldable for storage, taking up
no space and easy to carry

Optional Accessories



Folding Cart
Waterproof Cover
SCF2-WC80



Folding Cart (Narrow Wheel)
SCF2-SLC-80



Folding Cart (Sand Wheel)
SCF2-SLC-90

Item	Size	Storage Size	Weight	Load Bearing	Fabric Material
SCF2-SLC-80	80x45x70cm	45x25x85cm	9.38kg	100kg	600D Thickened Oxford Cloth
SCF2-SLC-90	80x45x70cm	30x20x70cm	9.0kg	100kg	600D Thickened Oxford Cloth

Stainless steel Director Chair

Made of 600D Oxford cloth, wear-resistant and dirt-resistant, breathable and quick-drying. Folds for storage and takes up no space. Steel chair frame, light and stable, weighing only 4.5kg. The back is designed with Velcro, and corresponding Velcro can be attached according to the position on the set.




Item	Size	Material	Weight
SD012-DC82	55x46x82 cm	Stainless steel + Oxford cloth	4.5kg

Director Chair

The main body is made of poplar wood, which is tough, high-strength and corrosion-resistant. The backrest and seat cushion are made of canvas. The tall version has removable footrests for added comfort.

Foldable design, easy to carry.




Item	Size	Material	Weight
SD012-DC118-L	56x55x118 cm	Poplar + Canvas	6.9kg
SD012-DC90-S	43.5x35.5x90cm	Poplar + Canvas	5.72kg

Studio Accessories

Apple Boxes

The apple box is a wooden box made of nine-layer panels. It is hard and resistant to compression. It is mainly used as an auxiliary tool for film and television shooting. The Selens apple box adopts a newly upgraded magnetic design, which allows the lid and box body to be tightly attached and not easy to slip off. It is usually used to support and flatten the track of the camera. It can keep the camera running smoothly even on soft sand. It can be used as a temporary seat, to raise the direction of the control light, to increase the height of the actors, etc. It is an indispensable part in film and television shooting. Missing props.



Item	Size	Material	Weight
SDA12-AB50	30x50x22 cm	Poplar	8.6kg



Optional Accessories



Apple Box Seat Cushion
SDA12-SC50





Color Filter

Color filter is an auxiliary tool that can change the color of flash and photography lights. Use color filters to create cool special effects. Different color filters have differentcolor temperatures. Choosing the appropriate color filter can create an ideal color theme effect.

Color Filter

Color	Color NO.	Size
Brown	#998	40x50cm
Dark Red	#102	
Brick Orange	#951	
Orange Red	#403	
Orange	#85	
Orange Yellow	#85A	
Light Orange	#85B	
Purple	#797	
Dark Purple Red	#104	
Purple Red	#208	
Dark Blue	#802	100x100cm
Navy Blue	#82	100x4000cm
Turquoise	#706	
Blue	#82B	
Lake Blue	#812	
Dark Green	#607	
Apple Green	#604	
Yellow	#504	
Wood Color	#85C	
White	#04	

Product thickness: 0.057mm



		
#998 Brown	#797 Purple	#812 Lake Blue
		
#102 Dark Red	#104 Dark Purple Red	#607 Dark Green
		
#951 Brick Orange	#208 Purple Red	#604 Apple Green
		
#403 Orange Red	#802 Dark Blue	#504 Yellow
		
#85 Orange	#82 Navy Blue	#85C Wood Color
		
#85A Orange Yellow	#706 Turquoise	#04 White
		
#85B Light Orange	#82B Blue	


Color Filter Set - 20 Colors (25x25cm)

Item	Size	Thickness	Material
SE-CG25	25x25cm	0.1mm	Polyester film




Color Filter Set for Camera Flashes

Item	Size	Thickness	Material
SE-CG20	15.5x6.4cm	0.1mm	Polyester film





Diffuser Papers & Blackfoil Matte Black Foils



Eliminate highlights produced when shooting

Diffuser Paper

Item	Size	Thickness	Material
SLS4-DP-1.2*18M	120cmx18m	0.12mm	Plastic



Black matte surface, opaque and non-reflective. Can be shaped into different shapes


Blackfoil Matte Black Foil

Item	Size	Thickness	Weight
SLO4-BF-30*3.81M	30.5cm x 3.8m	0.1mm	0.23kg
SLO4-BF-30*7.62M	30.5cm x 7.6m	0.1mm	0.40kg
SLO4-BF-61*3.81M	61cm x 3.8m	0.1mm	0.50kg
SLO4-BF-61*7.62M	61cm x 7.6m	0.1mm	0.8kg



Camera Protection Stickers

Using 3M Wrap Film material, made according to camera size. It makes your camera more personalized and prevents scratches.



Camera Protection Sticker

Sony: A72, A6400&A6300, RX100M6&M7, ZV-1, 1635ZA, A7M3, A7R4, A7C, A7S3, ZV-E10, FX3, A7R5, A7M4, ZV-E1

Canon: EOS-RP, EOS-R, G7X3, R5, R6, EOS R7, R6 II, R8, R10

Nikon: Z6&Z7, Z6&Z7 II, Z8, Z30

Fujifilm: GFX50R, XT4, XT30, XT3, XE4, X-H2S, X-S10, X-T5

Ricoh: GR3

Panasonic: S5M2, GH5, S1R

DJI: RS3, RS3 pro



Gaffer Tapes

Made of polyethylene, fiber and glue, it is easy to tear, waterproof and can be written on.Available in various colors and sizes.

Suitable for film shooting, flat shooting, etc., marking the position of the light stand, model position, fixed equipment, recording information, etc.



Fluorescent Gaffer Tape

Color	Size	6mmx23m	12mmx23m	24mmx23m	48mmx46m	96mmx46m
Yellow		STF12-FGT-Y-6MM*23M	STF12-FGT-Y-12MM*23M	STF12-FGT-Y-24MM*23M	STF12-FGT-Y-48MM*46M	STF12-FGT-Y-96MM*46M
Pink		STF12-FGT-P-6MM*23M	STF12-FGT-P-12MM*23M	STF12-FGT-P-24MM*23M	STF12-FGT-P-48MM*46M	STF12-FGT-P-96MM*46M
Orange		STF12-FGT-O-6MM*23M	STF12-FGT-O-12MM*23M	STF12-FGT-O-24MM*23M	STF12-FGT-O-48MM*46M	STF12-FGT-O-96MM*46M
Green		STF12-FGT-G-6MM*23M	STF12-FGT-G-12MM*23M	STF12-FGT-G-24MM*23M	STF12-FGT-G-48MM*46M	STF12-FGT-G-96MM*46M

Basic Gaffer Tape

Color	Size	45mmx30m	50mx10m
White		STD12-MGT-W-45MM*30M	STD12-GT-W-50MM*10M
Black		STD12-MGT-B-45MM*30M	STD12-GT-B-50MM*10M
Yellow		-	STD12-GTY-50MM*10M
Red		-	STD12-GT-R-50MM*10M



Gaffers Tape Holder Strap

Item	Length	Weight	Material
SGL2-HS40	Rope: 39cm + Hanging Buckle: 8cm	0.106kg	Synthetic Steel

Storage Bags & Cases

Storage bags are generally used to store cameras, lenses, camera accessories, etc. The storage bags are made of high-quality waterproof materials, are anti-fouling and wear-resistant, lightweight and easy to carry.



Storage Bags & Cases

Light Carrying Case

Light carrying case can store multiple cameras and accessories. The removable sponge liner makes it easy to piece together the space freely. By adjusting the Velcro baffle, you can easily store various accessories needed for photography and videography, and protect the equipment safely. The shoulder strap is detachable and can be carried by hand or on one shoulder, making it convenient for travel.



Camcorder Carrying Case



Zoned storage, customized storage areas to meet different needs
Thickened anti-collision partition for all-round protection

Item	Size	Weight
SMP2-LC-S	40x29x19 cm	2.50kg
SMP2-LC-M	52x29x19 cm	2.88kg
SMP2-LC-L	52x29x30 cm	4.28kg
SMP2-DV-XL	52x29x19 cm (DC/DV)	3.20kg



Storage Bags & Cases

Backpack

Backpack designed for photographers that can store cameras, tripod, lenses and other equipment.

The removable sponge liner allows you to freely plan the internal space by adjusting the internal compartments. The backpack supports side opening for quick and easy storage of equipment.



Item	Size	Weight
SCC2-S	31x27x36 cm	1.82kg
SCC2-L	36x27x51 cm	1.95kg



Side opening for quick access to equipment



Removable sponge liner allows you to freely plan the internal space by adjusting the internal compartments

Storage Bags & Cases



Tech Pouch

SMP2-TP

0.292kg 27x10x16cm



Everyday Shoulder Bag

SCC2-ES-S 18x34x14cm 0.47kg
SMP2-CC-M 24x34x22cm 0.50kg



Camcorder Case

SMP2-CC-S 49x28x30cm 1.97kg
SMP2-CC-M 60x30x34cm 2.6kg
SMP2-CC-L 66x36x36cm 3.13kg



Battery Storage Bag S

SPB-BS-S

0.05kg 13x12cm

Can be stored: battery x2 + memory card x1 + filter x1



Battery Storage Bag L

SPB-BS-L

0.085kg 22x12cm

Can be stored: battery x4 + memory card x2 + filter x2



Liner Bag

SC2-250-BG

0.38kg 24x17x15cm



Moisture Proof Box with Mini Dehumidifier Series

SE-B2613

0.285kg 26.5x13x13.5cm



Wash Pouch

SGD2-WP

0.292kg 27x10x16cm



Packing Bag

SGD2-PB-S 34x18x14cm 0.168kg
SGD2-PB-M 34x24x22cm 0.23kg
SGD2-PB-L 34x34x14cm 0.238kg

Stand Bags



Stand Bag L

SSL2-SB-L

0.9kg 72x22x25cm

This is a large-capacity light stand bag that can store 2 video lights, 2 soft boxes, 2 light stands and some photography accessories. Waterproof nylon material, heat-resistant and waterproof. You can freely DIY compartments to store suitable photographic equipment and protect the equipment safely. The shoulder strap is detachable and can be carried by hand or on one shoulder, making it convenient for travel



Stand Bag_60cm

SSL2-SB-60

0.107kg 58x8x8cm

Suitable for student light stand



Stand Bag_85cm

SSL2-SB-85

0.134kg 85x7x7cm

Applicable to SGS SGT W803 series light stands or light stands with a folded length within 85cm



Stand Bag

SSL2-SB-71

0.21kg Expand Size: 80x33cm

Small size, large capacity, light and easy to carry, suitable for 803 light stand
Can be stored: 803 light stand x2 + soft light umbrella (or monopod) x1



Stand Bag_118cm

SSL2-SB-118

0.18kg 115x8x8cm

Suitable for use with SGB series and SGT-4000 light stands



Stand Bag_80CM

SSL2-SB-80

0.635g 75x19x16cm

Double opening design, high-grade nylon canvas material. There are 3 slots inside for easy insertion of the light holder
Can be stored: light stand x3 + soft umbrella x2 + flash trigger x2



Stand Bag_100CM

SSL2-SB-100

0.847g 100x20x16cm

Double opening design, high-grade nylon canvas material. There are 3 slots inside for easy insertion of the light holder
Can be stored: light stand x3 + soft umbrella x2 + flash trigger x2



Stand Bag_120CM

SSL2-SB-120

1.085kg 115x20x17cm

Double opening design, high-grade nylon canvas material. There are 3 slots inside for easy insertion of the light holder
Can be stored: light stand x3 + soft umbrella x2 + flash trigger x2

Studio Accessories

Moisture Proof Box

The moisture proof box is made of ABS material and has more color to choose. It can monitor the humidity inside the box and use it with mini dehumidifier to control the humidity.



Item	Size	Color	Weight
SMM12-MP12L-W	29.5x25x26 cm	White	1.6kg
SMM12-MP12L-TW	29.5x25x26 cm	Transparent+White	1.6kg
SMM12-MP12L-TBU	29.5x25x26 cm	Transparent+Blue	1.6kg
SMM12-MP12L-TB	29.5x25x26 cm	Transparent+Black	1.6kg



Optional Accessories

Mini Dehumidifier
SMD12-MD

0.35kg 16x7x3.3cm

Turn on the electricity to remove moisture, and then it can be recycled after drying. Energy saving and environmental protection

Moisture Proof Box Liner
SMM12-MPL-B

0.168kg 25.5x20.5x21.5cm

Velcro partitions, partitioned storage, custom storage areas



Safety Equipment Cases

The SafetyEquipmentCase made of PP material and can withstand a pressure of 200 kg.

The inner liner is a Velcro-type removable sponge, allowing you to freely plan the internal space, protect equipment, and combine safety and portability.

The protective box has built-in waterproof sealing strips and air pressure valves to balance air pressure differences, and is designed with handles, wheels, and pull rods for easy portability.



Note: Photography equipment not included


Quickly build a workbench

The lid is equipped with a laptop storage bag that can accommodate a 16-inch laptop



Note: Photography equipment not included

Safety Equipment Cases



Safety Equipment Case (Small Size)

Item	Model	Size	Color	Weight	Load-Bearing	Material
SHP2-SE5129-S-Y	5129	55x35x23.5 cm	Yellow	5.32kg	55kg	Engineering PP
SHP2-SE5129-S-O	5129	55x35x23.5 cm	Orange	5.32kg	55kg	Engineering PP
SHP2-SE5129-S-BU	5129	55x35x23.5 cm	Blue	5.32kg	55kg	Engineering PP
SHP2-SE5129-S-AG	5129	55x35x23.5 cm	Army Green	5.32kg	55kg	Engineering PP
SHP2-SE5129-S-DG	5129	55x35x23.5 cm	Dark Green	5.32kg	55kg	Engineering PP
SHP2-SE5129-S-B	5129	55x35x23.5 cm	Black	5.32kg	55kg	Engineering PP

Safety Equipment Case (Large Size)

Item	Model	Size	Color	Weight	Load-Bearing	Material
SHP2-SE5236-L-Y	5236	57.5x42x29 cm	Yellow	7.03kg	55kg	Engineering PP
SHP2-SE5236-L-AG	5236	57.5x42x29 cm	Army Green	7.03kg	55kg	Engineering PP
SHP2-SE5236-L-DG	5236	57.5x42x29 cm	Dark Green	7.03kg	55kg	Engineering PP
SHP2-SE5236-L-B	5236	57.5x42x29 cm	Black	7.03kg	55kg	Engineering PP

Studio Accessories



SDS12-CB-RW



SDS12-CB-BW



SDS12-CB-CW



SDS12-CB-RB



SDS12-CB-BB



SDS12-CB-CB

Clapperboard

0.52kg 30x24cm

Clapperboard is made of a combination of wood and acrylic boards. The sound of the Clapperboard is loud, making it easier for editors to synchronize the audio and video of the filmed material. The acrylic writing board has the film name, reel number, shot number and other information for easy recording



Saddle Bag

- SFC-SAB-B ● Black
- SFC-SAB-GR ● Grey
- SFC-SAB-DBR ● Brown
- SFC-SAB-BR ● Dark Brown

1.21kg 40x35x30m



Protective Glove M
SDG6-PG-M

0.071kg 9.5x22.5cm

Heat insulation, cold protection and cut resistance, protect your hands



Protective Glove L
SDG6-PG-L

0.073kg 10.5x23cm

Heat insulation, cold protection and cut resistance, protect your hands



Protective Glove XL
SDG6-PG-XL

0.076kg 11x25cm

Heat insulation, cold protection and cut resistance, protect your hands



300ml High Pressure Watering Can
SDO12-WC300

0.184kg 24.5x6cm

0.3mm diameter nozzle sprays fine water mist



(8 Colors / bag)

Elastic Cable Ties
SDC12-CT8

0.04kg Length: 14cm

Made of silicone material for Bundled wires, 8 colors for easy classification

Studio Accessories

TACO

TACO Teleprompter

Foldable detachable structure. Supports shooting with a variety of devices, horizontally and vertically, at different angles, wide-angle lens shooting and full-frame recording without vignetting. Equipped with 4 cold shoe openings to expand a variety of external devices.



Lens adapter ring + mobile phone light-shielding cotton
Convenient for viewing with different devices

Item	Size	Weight	Material
SVT-12T01Pro	21 x 18.6 x 11.4 cm	0.845kg	ABS+Glass



Dual-purpose clip for tablets and mobile phones, clamping range 67mm-183mm



Equipped with four cold shoe openings to expand a variety of external devices



Equipped with a portable storage bag to protect equipment




Remote

Studio Accessories



Air Blower
SCA9-11

0.065kg 4x4x13.8cm



Cleaning Cloth
SCL9-20*20CM

0.05kg 20x20cm



Lens Pen
SLC9-12

0.046kg 2x2x12.5cm



5-in-1 Cleaning Kit
SCC9-5in1

0.208kg 15x11x5cm

Package includes : Carrying Case x1 + Air Blower x1 + Bleach30ml x1 + Lens paper x1 + Cleaning Cloth x1 + Lenspen x1



Multifunctional Screwdriver
SDO-1298LB ● Black

0.439kg 2.2X2.2X9.8cm

7 commonly used bit specifications, magnetic design



Multifunctional Screwdriver
SDO-1298LG ● Gun Gray

0.439kg 2.2X2.2X9.8cm

7 commonly used bit specifications, magnetic design



Key Tether
SDC12-3

0.014kg 3.2x13cm

Stretchable length 70cm

Backgrounds Make Photography Easier

Background




Cucoloris

						
	Louver pattern	Palace plaid pattern 1	Flower pattern	Copper coin pattern	Palace plaid pattern 2	Tree pattern
30x30cm	SSE12-LOP-30	SSE12-PP1-30	SSE12-FP-30	SSE12-CC-30	SSE12-PP2-30	SSE12-TP-30
40x40cm	SSE12-LOP-40	SSE12-PP1-40	SSE12-FP-40	SSE12-CC-40	SSE12-PP2-40	SSE12-TP-40
						
	Oblique grid pattern	Cloud pattern	Palace plaid pattern 3	Lotus pattern	Scallop pattern	
30x30cm	SSE12-OG-30	SSE12-CP-30	SSE12-PP3-30	SSE12-LP-30	SSE12-SP-30	
40x40cm	SSE12-OG-40	SSE12-CP-40	SSE12-PP3-40	SSE12-LP-40	SSE12-SP-40	



Double Side Cucoloris (One side is wood grain, the other side is matte black)

						
	Fence	Foam	Wave	Four-leaf window	Gap	Fireworks
45x60cm	SSE12-DC-FE-4560	SSE12-DC-FO-4560	SSE12-DC-WA-4560	SSE12-DC-FW-4560	SSE12-DC-GA-4560	SSE12-DC-FI-4560
60x90cm	SSE12-DC-FE-6090	SSE12-DC-FO-6090	SSE12-DC-WA-6090	SSE12-DC-FW-6090	SSE12-DC-GA-6090	SSE12-DC-FI-6090
						
	Flowering	Pattern	Spherical	Dream	Dots	Matte black - reverse side
45x60cm	SSE12-DC-FL-4560	SSE12-DC-PA-4560	SSE12-DC-SP-4560	SSE12-DC-DR-4560	SSE12-DC-DO-4560	
60x90cm	SSE12-DC-FL-6090	SSE12-DC-PA-6090	SSE12-DC-SP-6090	SSE12-DC-DR-6090	SSE12-DC-DO-6090	




Optional Accessories

	
Cucoloris Handle	Cucoloris Base (Set of 2)
SBB-CH	SBB-CB10

Background Supports

Background Support Kit

Made of aluminum alloy, black paint process, adjustable width and height.



Item	Size	Weight	Load Bearing
SBB-BS-2*2	200 x 200 cm	3.0 kg	5kg
SBB-BS-2*3	200 x 300 cm	2.45 kg	5kg
SBB-BS-2.6*3	260 x 300 cm	3.59 kg	5kg
SBB-BS-2.8*3	280 x 300 cm	4.50 kg	5kg
SBB-BS-3*3	300 x 300 cm	4.50 kg	5kg

Optional Accessories



Metal A-Clamp

SBB-715



0.104g 7.7x10.4x6.6cm

Magnetic Background Support

Item	Size	Weight	Load Bearing
MBT350	36.5x10.5x8.5cm	0.57kg	2.5kg

N52 specification magnet, strong magnetic force, can easily and quickly install the background board on the light stand. Can fix 200cm wide reflector or background.



Manual Backdrop Support System

Manual Backdrop Support System


Can be hung on the wall or ceiling to save space. The length of the background can be adjusted by zipper. There are one axis, three axes, four axes, and six axes available. Multi-axis background axis, changing the background saves time.



Manual Backdrop Support System 1 Roller



Manual Backdrop Support System 3 Roller



Manual Backdrop Support System 4 Roller



Manual Backdrop Support System 6 Roller

Item	Axes	Weight
SLL4-1	1 Roller	1.94 kg
SLL4-3	3 Roller	5.40 kg
SLL4-4	4 Roller	7.05 kg
SLL4-6	6 Roller	10 kg

Chroma Key Backgrounds


The chroma key backgrounds has a green or blue screen to choose from, making it a choice for live streaming and movie production. Usually used for live streaming, movie shooting, etc.



Collapsible Chromakey Background

Made of cotton, opaque and non-reflective. The folded size is 1/6 of the background.

Color	Size	1.0x1.5m	1.5x2.0m
● Green / ● Blue		SFC-DCB-100*150-BG	SFC-DCB-150*200-BG
● Blue / ● Grey		SFC-DCB-100*150-BR	SFC-DCB-150*200-BR
● Green / ● Grey		SFC-DCB-100*150-RG	SFC-DCB-150*200-RG
● Black / ○ White		SFC-DCB-100*150-BW	SFC-DCB-150*200-BW




Chroma Key Backgrounds

Chromakey Background Cloth

Made of polyester material, opaque and non reflective, foldable. Large size, can be used for photography, post production special effects in movies, etc.

Color	Size	2x3m	3x3m	3x6m
● Green / ● Blue		SFC-DB-2*3-BG	SFC-DB-3*3-BG	SFC-DB-3*6-BG
● Blue / ● Grey		SFC-DB-2*3-BR	SFC-DB-3*3-BR	SFC-DB-3*6-BR
● Black / ○ White		SFC-DB-2*3-BW	SFC-DB-3*3-BW	SFC-DB-3*6-BW
● Green / ● Grey		SFC-DB-2*3-RG	SFC-DB-3*3-RG	SFC-DB-3*6-RG



Chromakey Background Cloth Hook Type


Color	Item	Size
● Green / ● Grey	SFC-DBH-150*200-RG	150 x 200 cm
● Green / ● Blue	SFC-DBH-150*200-BG	150 x 200 cm



Chromakey Floor

Made of vinyl plastic, it has high strength, fire resistance, pressure resistance, and wear resistance, is environmentally friendly, odorless, and easy to clean. The width of floor glue is 1.6m, and the length can be customized.

Color	Item	Size
● Green / ● Blue	SFC-CF-1.6-BG	Width 1.6m, length can be customized






Chroma Key Backgrounds

Collapsible Chromakey Background Chair Type

This is a background board that can be directly installed on a chair. It can quickly arrange scenes. The strap can be directly hung on the bracket.



Color	Item	Size
● Green	SFC-DCBF-150*200-G	Ø 130 cm
● Green	SFC-DCB-150-BG	Ø 150 cm
● Green / ● Blue	SFC-DCB-130-G	Ø 150 cm



Collapsible Chromakey Background with Floor

It can easily realize full-body keying and can be used for film and television special effects, studio photography, clothing live broadcast, dance teaching, fitness teaching, etc.

Color	Item	Size
● Green	SFC-DCB-150-G	Ø 150 x (200+200) cm






Background Cloth - Cotton


Made of cotton, opaque and foldable.

Color	Size	2x3m	3x3m	3x6m
○ White		SFC-BC-W-2*3M	SFC-BC-W-3*3M	SFC-BC-W-3*6M
● Grey		SFC-BC-GR-2*3M	SFC-BC-GR-3*3M	SFC-BC-GR-3*6M
● Black		SFC-BC-B-2*3M	SFC-BC-B-3*3M	SFC-BC-B-3*6M
● Blue		SFC-BC-BU-2*3M	SFC-BC-BU-3*3M	SFC-BC-BU-3*6M
● Green		SFC-BC-G-2*3M	SFC-BC-G-3*3M	SFC-BC-G-3*6M



Background Cloth - Flocked Cloth

Color	Size	1.5x1m	1.5x2m	1.5x3m
○ White		SFF-FC-W-1.5*1M	SFF-FC-W-1.5*2M	SFF-FC-W-1.5*3M
● Black		SFF-FC-B-1.5*1M	SFF-FC-B-1.5*2M	SFF-FC-B-1.5*3M



Chroma Key Backgrounds

Screen Suit

There are two types of screen suit: jumpsuits and two-piece, with uniform colors and no wrinkles. Invisible zippers are used for easy post-processing. It is made of elastic polyester material.

Commonly used for filming special effects in movies and television.



Color	Size	M (150cm)	L (160cm)	XL (170cm)	XXL (180cm)
● Jumpsuits-Green		SPK6-S-G-M	SPK6-S-G-L	SPK6-S-G-XL	SPK6-S-G-XXL
● Jumpsuits-Royal Blue		SPK6-S-B-M	SPK6-S-B-L	SPK6-S-B-XL	SPK6-S-B-XXL
● Two-piece-Green	-		SPK6-ST-G-L	SPK6-ST-G-XL	SPK6-ST-G-XXL
● Two-piece-Royal Blue	-		SPK6-ST-B-L	SPK6-ST-B-XL	SPK6-ST-B-XXL

Screen Gloves

Color	Size	One size fits all
● Green		SPK6-SG-G
● Royal Blue		SPK6-SG-G




Collapsible Pattern Backgrounds

Collapsible Symphony Backgrounds

Different patterns on both sides, available in tie-dye series and wall series. It adopts folding design and is suitable for live, photography, etc.




Color	Size	1.5x2m (Oval)	Ø 1.5m (Round)
1 / 2	-		SCP-IC-12-150
3 / 4	-		SCP-IC-34-150
5 / 6	SCP-IC-56-150*200		SCP-IC-56-150
7 / 8	SCP-IC-78-150*200		SCP-IC-78-150
9 / 10	SCP-IC-910-150*200		SCP-IC-910-150




Collapsible Pattern Backgrounds

Collapsible Pattern Backgrounds

Different patterns on the front and back sides are called double-sided background boards. Foldable, practical and easy to carry. Can be used as live broadcast background, still life and portrait shooting, etc.



Color	Size	1.5x2m (Oval)
Brick Wall / Red Brick Wall		SFC-DCB-150*200-RB
Plaster Wall / Industrl Grey Brick		SFC-DCB-150*200-PI
Graffiti / Post		SFC-DCB-150*200-PG
Rusty Metal Wall 1 / Rusty Metal Wall 2		SFC-DCB-150*200-RR



Backgrounds

Background Paper

Made of kraft paper, it is durable, opaque, non-reflective, and has a delicate texture. There are up to 79 colors to choose.

Available in two large sizes: 1.36x10m and 2.75x10m



White Backgrounds

Smooth surface without particles. Double-sided matte effect, non-reflective and opaque. Waterproof, dustproof, wrinkle-proof, stain-proof and easy to clean.


Width	Length	1m	1.5m	2m	3m	5m
1m		SBS-UW-1*1M	SBS-UW-1*1.5M	SBS-UW-1*2M	SBS-UW-1*3M	-
1.2m		SBS-UW-1.2*1M	SBS-UW-1.2*1.5M	SBS-UW-1.2*2M	SBS-UW-1.2*3M	-
1.5m	-		SBS-UW-1.5*1.5M	SBS-UW-1.5*2M	SBS-UW-1.5*3M	SBS-UW-1.5*5M




Backgrounds

Double Sided Backgrounds

The double-sided background has different patterns on both sides, and can be used as a live broadcast background, photography, etc.



Stone texture



Sand texture



Mixed color wood grain



Wide wood grain



Wood grain



Tree grain



Wood texture



Blue wooden board

Color	Size	56x90cm
Stone texture / Sand texture		SBW-DP-43
Wood grain / Tree grain		SBW-DP-42
Mixed color wood grain / Wide wood grain		SBW-DP-39
Wood texture / Blue wooden board		SBW-DP-40



Backgrounds

Waterproof Matte Surface Backgrounds

PVC material, double-sided frosted, waterproof, thickness 0.2mm

Color	Size
● Black	68x130cm 100x200cm 120x200cm 150x200cm
○ White	
● Gray	
● Blue	
● Yellow	
● Pink	
● Brown	
● Green	
● Red	

 Yellow	 Pink	 White
 Brown	 Red	 Grey
 Green	 Blue	 Black

Waterproof Moran Color Backgrounds

PVC material, Morandi color, matte frosted, waterproof, thickness 0.4mm.

Color	Size
● Light Blue	50x50cm 50x100cm 70x150cm 100x150cm
● Lotus Color	
● Fresh Yellow	
● Light Green	
● Grey	
● Yellow	
● Avocado Green	
● Brick Red	
● Orange	
● Avocado Green	
● Brick Red	


 Light Blue	 Lotus	 Fresh Yellow
 Light Green	 Grey	 Yellow
 Avocado Green	 Brick Red	 Orange



Backgrounds

3D Texture Backgrounds

3D texture Background is made of PVC material, with single-sided texture and double-sided texture available. The reverse side of the single-sided textured version is white and can be used as a background or reflector. The double-sided texture model has different textures on both sides. Used with texture board buckles, two background boards can be combined and stood up.



3D Texture Backgrounds - Single Sided

Color	Size
Light color Cement	60x60cm
Dark Cement	
Gilt Marble pattern	
White Marble pattern	
Marble pattern	
Dark Gray Wood Grain	
Dark Wood Grain	
Light Wood Grain	
Wood Grain	
White Wood Grain	
Thistle Purple	
Sky Blue	
Apple Green	
Light Yellow	
Pink	
Orange	
Grey	
Matte Black	
Matte White	

3D Texture Backgrounds - Double Sided

Color	Size
Matte Black / Matte White	55x55cm 60x60cm 80x120cm
Grey / Matte White	
Gilt Marble pattern / Marble pattern	
White Wood Grain / Wood Grain	
Dark Wood Grain / Light Wood Grain	
Dark Cement / Light color Cement	
Pink / Sky Blue	
Orange / Thistle Purple	
Apple Green / Light Yellow	
White Skin Pattern / Black Skin Pattern	

Optional Accessories




Mirror Backgrounds

Mirror Background - Acrylic

Using acrylic material, the reflection is clear and not easy to deform. There are 3 colors and 9 shapes to choose from, suitable for product photography and creative photography.

Shape	Color	Size
Round	Gold, Silver, Rose Gold	Ø10cm, Ø15cm, Ø20cm
Square	Gold, Silver, Rose Gold	22x22cm
Rectangle	Gold, Silver, Rose Gold	15x22cm
Bean Shape	Gold, Silver, Rose Gold	19.5x26.5cm
Arch Shape	Gold, Silver, Rose Gold	15.5x25cm
Hexagon	Gold, Silver, Rose Gold	Ø20cm
Wavy	Gold, Silver, Rose Gold	16x28cm
Cloud Shape	Gold, Silver	9x23cm
Oval	Gold, Silver	Ø20cm

Shape



Mirror Backgrounds



Mirror Surface Backgrounds - Tempered Glass

Color	Size
○ White	30x30cm, 40x40cm, 60x60cm
● Black	

High temperature tempered painted glass with clear reflection. Used for product photography, etc.

Waterproof Mirror Surface Backgrounds

Color	Size
○ White	40x90cm, 60x130cm, 70x150cm, 80x150cm, 120x200cm
● Black	

Both sides, one side is frosted, the other side is the mirror, can be rolled up, used for product photography, etc.







Selens

TEL: +86 20 83802251

Email: marketing@selens.com

Web: www.selens.com



Instagram



Facebook



WeChat



Bilibili